





Digitized by the Internet Archive
in 2013

09752
69f

Microfilm
University of Maryland Library
College Park, Md.

M. R.

FINAL VITAL STATISTICS TABLES

MARYLAND, 1962

Division of Statistical Research and Records
Maryland, State Department of Health

FINAL VITAL STATISTICS TABLES

MARYLAND, 1962

Division of Statistical Research and Records
Maryland State Department of Health
301 W. Preston Street
Baltimore 1, Maryland
September, 1963

T A B L E O F C O N T E N T S

<u>Table</u>		<u>Page</u>
	Introduction	vi
1	Estimated Maryland population, by race and political subdivision, July 1, 1962	1
2A	Estimated Maryland Total population, by race, age group, and political subdivision, July 1, 1962	2
2B	Estimated Maryland White population, by race, age group, and political subdivision, July 1, 1962	3
2C	Estimated Maryland Nonwhite population, by race, age group, and political subdivision, July 1, 1962	4
3	Maryland population, by political subdivision, censuses of 1910-1960	5
4	Births and birth rates, by race, three Maryland areas, 1920-1962	6
5	Deaths and death rates, by race, three Maryland areas, 1920-1962	7
6	Infant deaths and infant death rates, by race, three Maryland areas, 1920-1962	8
7	Fetal deaths and fetal death rates, by race, three Maryland areas, 1920-1962	9
8	Rates for births, deaths and infant deaths, by race and political subdivision, 1962	10
9	Number of fetal deaths, infant deaths, and neonatal deaths, by race and political subdivision, 1962	11
10	Rates for fetal deaths, neonatal deaths, and perinatal deaths, by race and political subdivision, 1962	12
11	Number of marriages by race, and number of divorces, by political subdivision of occurrence, 1962	13
12	Births by month of birth and race, three Maryland areas, 1962	14
13	Births by age of mother and race, three Maryland areas, 1962	14
14	Births by birth order, age of mother and race, Maryland, 1962	15

T A B L E O F C O N T E N T S
(Continued)

<u>Table</u>		<u>Page</u>
15	Illegitimate births by race, Maryland, 1962	16
16	Single and plural births by birthweight and race, three Maryland areas, 1962	17
17	Number of births, premature births and per cent premature, by race and political subdivision, 1962	18
18	Births by hospitalization, race, and political subdivision, 1962	19
19	Births by attendant, race, and political subdivision, 1962	20
20	Births by place of residence and occurrence, race, and political subdivision, 1962	21
21	Births to residents of Maryland and births occurring in Maryland by area of residence and area of occurrence, 1962	22
22	Deaths from 59 selected causes, by age, Maryland, 1962	23-26
23A	The eight leading causes of male deaths in specified age groups, Maryland, 1962	27
23B	The eight leading causes of female deaths in specified age groups, Maryland, 1962	28
24	Death rates by age and race, three Maryland areas, 1962	29
25	Deaths by month of death and race, three Maryland areas, 1962	30
26A	Deaths for twenty leading causes, by sex and race, Maryland, 1962	31
26B	Deaths for twenty leading causes, by sex and race, Baltimore City, 1962	32
26C	Deaths for twenty leading causes, by sex and race, Total Counties, 1962	33
27A	Death rates for twenty leading causes, by sex and race, Maryland, 1962	34
27B	Death rates for twenty leading causes, by sex and race, Baltimore City, 1962	35



T A B L E O F C O N T E N T S
(Continued)

<u>Table</u>		<u>Page</u>
27C	Death rates for twenty leading causes, by sex and race, Total Counties, 1962	36
28	Deaths for selected causes, by political subdivision, 1962	37,38
29	Deaths by hospitalization, race, and political sub- division, 1962	39
30	Deaths by place of residence and occurrence, race, and political subdivision, 1962	40
31	Deaths to residents of Maryland and deaths occurring in Maryland by area of residence and area of occurrence, 1962	41
32	Life table, Maryland, 1950 and 1960	42

Introduction

I. Definitions: The definitions of some of the more frequently used terms in this report are as follows:

- A. Live Birth: The complete expulsion or extraction from its mother of a product of human conception irrespective of the period of gestation, which, after such separation, breathes or shows any other evidence of life, such as beating of the heart, pulsation of the umbilical cord or definite movement of voluntary muscle, whether or not the umbilical cord has been cut or the placenta is attached.
- B. Fetal Death: Death prior to the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such separation, the fetus does not breathe or show any other evidence of life, such as beating of the heart, pulsation of the umbilical cord or definite movement of voluntary muscles.

The definitions of the two terms above are set by law (Annotated Code of Maryland, 1957 Edition, as amended; Article 43, Section 14(a)). However, fetal deaths are reportable for filing purposes with the State Board of Health and Mental Hygiene only if the death occurs after a gestation period of twenty completed weeks or more (Article 43, Section 21(a)). Therefore, the fetal deaths included in the statistics of this report include only those of twenty or more weeks of gestation.

- C. Infant Death: Death occurring to a person under age one.
- D. Neonatal Death: Death occurring to a person under 28 days of age.
- E. Perinatal Death: Death occurring after 20 weeks of gestation but before 28 days after birth. The perinatal deaths included in this report are, therefore, the sum of the reportable fetal deaths and the neonatal deaths.
- F. Premature Birth: A live birth weighing 2500 grams (5½ lbs) or less.
- G. Birth Rate: Number of live births per 1,000 population.
- H. Death Rate: Number of deaths from all causes per 1,000 population. Death rates for specific causes are per 100,000 population.
- I. Infant Death Rate: Number of infant deaths per 1,000 live births.
- J. Fetal Death Rate: Number of reportable fetal deaths per 1,000 total births. Total births include live births plus fetal deaths of twenty weeks gestation or more.

TO : THE SECRETARY OF THE ARMY
FROM : THE CHIEF OF STAFF
SUBJECT: [Illegible]
[Illegible text block]

1. [Illegible]
2. [Illegible]
3. [Illegible]
4. [Illegible]
5. [Illegible]

6. [Illegible]
7. [Illegible]
8. [Illegible]
9. [Illegible]
10. [Illegible]

11. [Illegible]
12. [Illegible]
13. [Illegible]
14. [Illegible]
15. [Illegible]

16. [Illegible]
17. [Illegible]
18. [Illegible]
19. [Illegible]
20. [Illegible]

21. [Illegible]
22. [Illegible]
23. [Illegible]
24. [Illegible]
25. [Illegible]

K. Neonatal Death Rate: Number of neonatal deaths per 1,000 live births.

L. Perinatal Death Rate: Number of perinatal deaths per 1,000 total births. Total births include live births plus fetal deaths of twenty weeks gestation or more.

II. Highlights of the 1962 Vital Statistics for Maryland

A. Population

The population of Maryland increased 51,592 or 1.6% between July 1, 1961 and July 1, 1962. This increase was the result of a decrease of 4,547 or 0.5% in Baltimore City and an increase of 56,139 or 2.5% in all of the counties combined.

B. Births

1. Trend

The number of births to Maryland residents decreased from an all-time high of 78,190 in 1961 to 76,325 in 1962. The birth rate of 23.6 per 1,000 population represented the fifth successive annual drop since the 1957 peak of 26.3. This drop in the birth rate was observed in both white and nonwhite groups. The nonwhite birth rate in 1962 was 31.2 and the white rate was 22.0.

2. Age of Mothers of First Births

Out of all first births to resident mothers in the State in 1962, 36.1 per cent were to mothers who were under age 20. This represents a decrease from the rate of 38.9 per cent for 1960 and 39.6 per cent in 1961.

For whites, this proportion increased from 22.0 per cent in 1950 to 34.6 per cent in 1961 but decreased to 30.9 per cent in 1962. For nonwhites the proportion increased from 56.7 per cent in 1950 to 62.1 per cent in 1961, but decreased to 61.1 per cent in 1962.

3. Illegitimate Births

In 1962, 9.8 per cent of all births to residents of Maryland were illegitimate. The rates for whites and nonwhites were 3.0 per cent and 33.3 per cent respectively. In 1961, 10.6 per cent of births to Maryland residents, occurring in Maryland, were illegitimate.

C. Infant Deaths

The infant death rate in Maryland increased from 25.6 to 27.1 infant deaths (deaths under one year of age) per 1,000 live births during the period from 1961 to 1962. This rate had

The first part of the paper discusses the importance of the study and the objectives of the research. It also mentions the scope of the study and the limitations of the study.

The second part of the paper discusses the methodology of the study. It mentions the data collection methods and the data analysis methods.

The third part of the paper discusses the results of the study. It mentions the findings of the study and the conclusions drawn from the study.

The fourth part of the paper discusses the implications of the study. It mentions the practical implications of the study and the theoretical implications of the study.

The fifth part of the paper discusses the limitations of the study. It mentions the limitations of the study and the suggestions for future research.

The sixth part of the paper discusses the conclusion of the study. It mentions the conclusion of the study and the final remarks of the study.

The seventh part of the paper discusses the references of the study. It mentions the references of the study and the sources of the study.

dropped for three successive prior years. The increase was noted in both the white and nonwhite groups in the total counties and in Baltimore City.

The nonwhite infant death rate in Maryland in 1962 was 42.9 and the white rate was 22.6.

D. Deaths

1. Trend

The number of deaths of Maryland residents in 1962 was 28,471, an all-time high. However, the death rate of 8.8 per 1,000 population in 1962 is very nearly the same as the rate of 8.7 which was an all-time low observed in 1961.

2. Leading Causes of Death

The five leading causes of death in Maryland in 1962 were (1) diseases of the heart, (2) malignant neoplasms, (3) cerebral hemorrhage and other vascular lesions, (4) accidents and (5) certain diseases of early infancy. This is the same ranking of causes of death as was observed in 1960 and 1961.

In Baltimore City the five leading causes of death in 1962 were the same as for the State as a whole, but certain diseases of early infancy ranked fourth and accidents ranked fifth. This same ranking was observed in Baltimore City in 1961.

3. Deaths in Hospitals

The proportion of all deaths to Maryland residents which occurred in hospitals and related medical institutions continued to increase in 1962. This proportion reached 69.0 per cent, compared to 68.1 per cent in 1961 and 67.3 per cent in 1960. The 1962 figure for whites was 67.6 per cent while the nonwhite figure was 74.6 per cent.

E. Expectation of Life

A comparison of life tables for Maryland for 1950 and 1960 indicates that newborns in 1960 will live, on the average, almost two years longer than newborns of a decade ago. In both 1950 and 1960, females have a longer expectation of life than males. Newborn whites of both sexes show an increased life expectancy of 1.5 years from 68.8 years in 1950 to 70.3 years in 1960. Newborns of both sexes in the nonwhite group show an even greater increased life expectancy of 3.8 years from 58.9 years in 1950 to 62.7 years in 1960.

The first part of the paper discusses the importance of the study and the objectives of the research. It also mentions the scope of the study and the limitations of the study.

The second part of the paper discusses the methodology used in the study. It mentions the data sources and the data collection methods used in the study.

The third part of the paper discusses the results of the study. It mentions the findings of the study and the conclusions drawn from the study. It also mentions the implications of the study and the recommendations for future research.

The fourth part of the paper discusses the conclusion of the study. It mentions the overall findings of the study and the conclusions drawn from the study. It also mentions the implications of the study and the recommendations for future research.

The fifth part of the paper discusses the references used in the study. It mentions the sources of the information used in the study and the references used in the study.

TABLE 1. ESTIMATED MARYLAND POPULATION, BY RACE AND POLITICAL SUBDIVISION, JULY 1, 1962

Political Subdivision	P O P U L A T I O N			Per Cent Nonwhite
	Total	White	Nonwhite	
Maryland State	3,239,933	2,688,610	551,323	17.0
Baltimore City	932,202	585,547	346,655	37.2
Total Counties	2,307,731	2,103,063	204,668	8.9
Allegany	84,293	82,990	1,303	1.5
Anne Arundel	220,447	189,532	30,915	14.0
Baltimore	510,507	493,320	17,187	3.4
Calvert	17,679	10,907	6,772	38.3
Caroline	18,607	15,135	3,472	18.7
Carroll	55,733	53,372	2,361	4.2
Cecil	51,163	48,154	3,009	5.9
Charles	36,602	24,644	11,958	32.7
Dorchester	29,828	21,644	8,184	27.4
Frederick	77,959	73,051	4,908	6.3
Garrett	21,821	21,773	48	0.2
Harford	80,061	72,422	7,639	9.5
Howard	39,046	34,920	4,126	10.6
Kent	15,901	11,947	3,954	24.9
Montgomery	372,015	357,028	14,987	4.0
Prince Georges	404,119	369,561	34,558	8.6
Queen Annes	15,652	11,334	4,318	27.6
Saint Marys	40,250	32,455	7,795	19.4
Somerset	20,903	13,090	7,813	37.4
Talbot	23,783	17,438	6,345	26.7
Washington	94,792	91,748	3,044	3.2
Wicomico	51,548	39,728	11,820	22.9
Worcester	25,022	16,870	8,152	32.6



TABLE 2A. ESTIMATED MARYLAND POPULATION, BY RACE, AGE GROUP, AND POLITICAL SUBDIVISION, JULY 1, 1962

Political Subdivision	All Ages	T O T A L P O P U L A T I O N B Y A G E					
		Under 1	1 - 4	5-17	18-44	45-64	65 +
Maryland State	3,239,933	75,406	303,336	841,019	1,164,995	617,529	237,648
Baltimore City	932,202	21,568	82,340	218,293	317,096	204,586	88,314
Total Counties	2,307,731	53,838	220,996	622,721	847,899	412,943	149,334
Allegany	84,293	1,659	6,620	20,364	27,402	18,774	9,474
Anne Arundel	220,447	5,217	21,560	61,832	86,060	34,586	11,192
Baltimore	510,507	11,293	48,365	137,799	193,033	90,543	29,474
Calvert	17,679	463	2,235	5,060	5,833	2,888	1,200
Caroline	18,607	419	1,689	4,958	5,978	3,550	2,013
Carroll	55,733	1,112	4,372	13,173	18,982	12,463	5,631
Cecil	51,163	1,270	4,802	13,621	19,292	8,046	4,132
Charles	36,602	1,071	4,073	10,665	11,817	6,912	2,064
Dorchester	29,828	543	2,405	6,898	10,153	6,192	3,637
Frederick	77,959	1,679	6,600	19,471	26,909	16,391	6,909
Garrett	21,821	436	1,329	5,451	7,148	4,761	2,696
Harford	80,061	2,167	8,038	22,920	31,896	10,701	4,339
Howard	39,046	952	3,464	11,278	15,388	5,439	2,525
Kent	15,901	341	1,109	3,665	5,168	3,940	1,678
Montgomery	372,015	8,176	37,354	106,215	131,548	68,082	20,640
Prince Georges	404,119	11,051	42,687	111,595	159,001	64,320	15,465
Queen Annes	15,652	357	1,443	4,462	5,317	2,388	1,685
Saint Marys	40,250	1,369	5,016	11,779	15,345	4,610	2,131
Somerset	20,903	385	1,438	4,913	7,163	4,210	2,794
Talbot	23,783	443	1,920	5,168	8,224	4,785	3,243
Washington	94,792	1,925	8,453	23,598	34,020	18,614	8,182
Wicomico	51,548	1,004	4,011	11,993	15,085	13,822	5,633
Worcester	25,022	506	2,013	5,843	7,137	6,926	2,597

卷之五

一

二

三

四

五

六

七

八

九

TABLE 2B. ESTIMATED MARYLAND POPULATION, BY RACE, AGE GROUP, AND POLITICAL SUBDIVISION, JULY 1, 1962

Political Subdivision	All Ages	W H I T E P O P U L A T I O N B Y A G E					
		Under 1	1 - 4	5-17	18-44	45-64	65 +
Maryland State	2,688,610	58,831	239,988	681,190	972,642	527,455	208,504
Baltimore City	585,547	10,978	41,917	120,985	192,940	146,929	71,798
Total Counties	2,103,063	47,853	193,071	560,205	779,702	380,526	136,706
Allegany	82,990	1,636	6,490	19,992	27,108	18,406	9,358
Anne Arundel	189,532	4,437	18,531	52,968	74,783	29,419	9,394
Baltimore	493,320	10,846	46,318	133,028	187,155	87,688	28,285
Calvert	10,907	208	1,062	2,672	3,974	2,109	882
Caroline	15,135	304	1,304	3,738	4,992	2,991	1,806
Carroll	53,372	1,049	4,140	12,558	18,143	12,071	5,411
Cecil	48,154	1,168	4,543	12,847	18,242	7,439	3,915
Charles	24,644	609	2,315	6,579	7,917	5,728	1,496
Dorchester	21,644	312	1,607	4,130	7,512	5,014	3,069
Frederick	73,051	1,495	6,068	17,856	25,461	15,635	6,536
Garrett	21,773	436	1,329	5,432	7,119	4,761	2,696
Harford	72,422	1,911	7,104	20,446	29,006	10,056	3,899
Howard	34,920	840	2,885	10,060	13,898	4,922	2,315
Kent	11,947	244	882	2,826	3,965	2,681	1,349
Montgomery	357,028	7,769	35,709	101,975	125,977	65,614	19,984
Prince Georges	369,561	9,966	38,348	99,858	146,904	60,337	14,148
Queen Annes	11,334	253	918	3,129	3,792	1,861	1,381
Saint Marys	32,455	1,061	3,953	9,272	12,715	3,702	1,752
Somerset	13,090	190	735	2,579	4,947	2,595	2,044
Talbot	17,438	301	1,380	3,463	6,212	3,635	2,447
Washington	91,748	1,876	8,299	22,863	32,897	17,899	7,914
Wicomico	39,728	684	2,929	8,663	12,171	10,603	4,678
Worcester	16,870	258	1,222	3,271	4,812	5,360	1,947



TABLE 2C. ESTIMATED MARYLAND POPULATION, BY RACE, AGE GROUP, AND POLITICAL SUBDIVISION, JULY 1, 1962

Political Subdivision	All Ages	N O N W H I T E P O P U L A T I O N B Y A G E					
		Under 1	1 - 4	5-17	18-44	45-64	65 +
Maryland State	551,323	16,575	63,348	159,829	192,353	90,074	29,144
Baltimore City	346,655	10,590	40,423	97,313	124,156	57,657	16,516
Total Counties	204,668	5,985	22,925	62,516	68,197	32,417	12,628
Allegany	1,303	23	130	372	294	368	116
Anne Arundel	30,915	780	3,029	8,864	11,277	5,167	1,798
Baltimore	17,187	447	2,047	4,771	5,878	2,855	1,189
Calvert	6,772	255	1,173	2,388	1,859	779	318
Caroline	3,472	115	385	1,220	986	559	207
Carroll	2,361	63	232	615	839	392	220
Cecil	3,009	102	259	774	1,050	607	217
Charles	11,958	462	1,758	4,086	3,900	1,184	568
Dorchester	8,184	231	798	2,768	2,641	1,178	568
Frederick	4,908	184	532	1,615	1,448	756	373
Garrett	48	-	-	19	29	-	-
Harford	7,639	256	934	2,474	2,890	645	440
Howard	4,126	112	579	1,218	1,490	517	210
Kent	3,954	97	227	839	1,203	1,259	329
Montgomery	14,987	407	1,645	4,240	5,571	2,468	656
Prince Georges	34,558	1,085	4,339	11,737	12,097	3,983	1,317
Queen Annes	4,318	104	525	1,333	1,525	527	304
Saint Marys	7,795	308	1,063	2,507	2,630	908	379
Somerset	7,813	195	703	2,334	2,216	1,615	750
Talbot	6,345	142	540	1,705	2,012	1,150	796
Washington	3,044	49	154	735	1,123	715	268
Wicomico	11,820	320	1,082	3,330	2,914	3,219	955
Worcester	8,152	248	791	2,572	2,325	1,566	650

TABLE 3. MARYLAND POPULATION, BY POLITICAL SUBDIVISION, CENSUSES OF 1910-1960

Political Subdivision	1960	1950	1940	1930	1920*	1910
Maryland State	3,100,689	2,343,001	1,821,244	1,631,526	1,449,661	1,295,346
Baltimore City*	939,024	949,708	859,100	804,374	733,826	558,485
Total Counties	2,161,665	1,393,293	962,144	826,652	715,835	736,861
Allegany	84,169	89,556	86,973	79,098	69,938	62,411
Anne Arundel*	206,634	117,392	68,375	55,167	43,408	39,553
Baltimore*	492,428	270,273	155,825	124,565	74,817	122,349
Calvert	15,826	12,100	10,484	9,528	9,744	10,325
Caroline	19,462	13,234	17,549	17,387	18,652	19,216
Carroll	52,785	44,907	39,054	35,978	34,245	33,934
Cecil	48,408	33,356	26,407	25,827	23,612	23,759
Charles	32,572	23,415	17,612	16,166	17,705	16,386
Dorchester	29,666	27,815	28,006	26,813	27,895	28,669
Frederick	71,930	62,287	57,312	54,440	52,541	52,673
Garrett	20,420	21,259	21,981	19,908	19,678	20,105
Harford	76,722	51,782	35,060	31,603	29,291	27,965
Howard	36,152	23,119	17,175	16,169	15,826	16,106
Kent	15,481	13,677	13,465	14,242	15,026	16,957
Montgomery	340,928	164,401	83,912	49,206	34,921	32,089
Prince Georges	357,395	194,182	89,490	60,095	43,347	36,147
Queen Annes	16,569	14,579	14,476	14,571	16,001	16,839
Saint Marys	38,915	29,111	14,626	15,189	16,112	17,030
Somerset	19,623	20,745	20,965	23,382	24,602	26,455
Talbot	21,578	19,428	18,784	18,583	18,306	19,620
Washington	91,219	78,886	68,838	65,882	59,694	49,617
Wicomico	49,050	39,641	34,530	31,229	28,165	26,815
Worcester	23,733	23,148	21,245	21,624	22,309	21,841

* Parts of Anne Arundel and Baltimore Counties annexed to Baltimore City in 1919.



TABLE 4. BIRTHS AND BIRTH RATES, BY RACE, THREE MARYLAND AREAS, 1920-1962

N U M B E R O F B I R T H S									
Year	Maryland State			Baltimore City			Total Counties		
	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite
1920	36,720	29,888	6,832	18,426	15,584	2,842	18,294	14,304	3,990
1930	30,988	24,455	6,533	14,015	10,862	3,153	16,973	13,593	3,380
1940	32,368	25,438	6,930	13,712	10,105	3,607	18,656	15,333	3,323
1945	42,816	34,678	8,138	17,848	13,308	4,540	24,968	21,370	3,598
1950	55,992	43,599	12,393	21,382	14,168	7,214	34,610	29,431	5,179
1955	69,205	54,549	14,656	23,291	14,366	8,925	45,914	40,183	5,731
1956	72,111	56,387	15,724	23,782	14,032	9,750	48,329	42,355	5,974
1957	76,127	59,122	17,005	25,067	14,305	10,762	51,060	44,817	6,243
1958	75,997	58,862	17,135	24,464	13,380	11,084	51,533	45,482	6,051
1959	77,165	59,538	17,627	23,893	12,577	11,316	53,272	46,961	6,311
1960	77,496	60,093	17,403	23,262	11,998	11,264	54,234	48,095	6,139
1961	78,190	60,697	17,493	23,153	11,942	11,211	55,037	48,755	6,282
1962	76,325	59,130	17,195	22,252	11,309	10,943	54,073	47,821	6,252
B I R T H R A T E S P E R 1,000 P O P U L A T I O N									
Year	Maryland State			Baltimore City			Total Counties		
	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite
1920	25.2	24.7	27.7	25.0	24.9	25.8	25.4	24.4	29.3
1930	18.9	18.0	23.5	17.4	16.4	22.0	20.4	19.5	25.1
1940	17.6	16.6	22.7	15.9	14.6	21.5	19.2	18.3	24.3
1945	20.4	19.8	23.4	19.7	18.8	23.0	21.0	20.6	24.0
1950	23.8	22.2	31.7	22.5	19.5	31.7	24.6	23.7	31.8
1955	25.3	23.9	31.6	24.7	21.6	31.9	25.6	24.9	31.7
1956	25.6	24.1	33.1	25.2	21.5	33.6	25.8	25.1	32.3
1957	26.3	24.6	34.8	26.6	22.3	35.8	26.2	25.4	33.1
1958	25.6	23.9	34.1	26.0	21.2	35.7	25.4	24.8	31.5
1959	25.4	23.6	34.1	25.4	20.3	35.3	25.3	24.6	32.3
1960	24.8	23.2	32.8	24.8	19.7	34.0	24.9	24.3	30.8
1961	24.5	22.9	32.4	24.7	19.9	33.2	24.4	23.8	31.0
1962	23.6	22.0	31.2	23.9	19.3	31.6	23.4	22.7	30.5



TABLE 5. DEATHS AND DEATH RATES, BY RACE, THREE MARYLAND AREAS, 1920-1962

N U M B E R O F D E A T H S									
Year	Maryland State			Baltimore City			Total Counties		
	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite
1920	21,401	16,162	5,239	11,205	8,676	2,529	10,196	7,486	2,710
1930	21,845	16,481	5,364	11,039	8,194	2,845	10,806	8,287	2,519
1940	21,883	16,943	4,940	11,096	8,243	2,853	10,787	8,700	2,087
1945	22,376	17,581	4,795	11,358	8,481	2,877	11,018	9,100	1,918
1950	22,450	17,811	4,639	10,624	7,835	2,789	11,826	9,976	1,850
1955	24,344	19,727	4,617	10,781	7,967	2,814	13,563	11,760	1,803
1956	25,163	20,227	4,936	11,131	8,121	3,010	14,032	12,106	1,926
1957	26,497	21,309	5,188	11,464	8,259	3,205	15,033	13,050	1,983
1958	27,161	21,754	5,407	11,446	8,069	3,377	15,715	13,685	2,030
1959	27,107	21,872	5,235	11,225	7,928	3,297	15,882	13,944	1,938
1960	27,992	22,447	5,545	11,483	8,020	3,463	16,509	14,427	2,082
1961	27,714	22,215	5,499	11,162	7,709	3,453	16,552	14,506	2,046
1962	28,471	22,893	5,578	11,338	7,775	3,563	17,133	15,118	2,015
D E A T H R A T E S P E R 1,000 P O P U L A T I O N									
Year	Maryland State			Baltimore City			Total Counties		
	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite
1920	14.7	13.3	21.3	15.2	13.8	22.9	14.1	12.8	19.9
1930	13.3	12.3	19.3	13.7	12.4	19.8	13.0	11.9	18.7
1940	11.9	11.1	16.2	12.9	11.9	17.0	11.1	10.4	15.2
1945	10.7	10.1	13.8	12.5	12.0	14.5	9.3	8.8	12.8
1950	9.5	9.1	11.9	11.1	10.8	12.3	8.4	8.0	11.4
1955	8.9	8.7	10.0	11.4	12.0	10.1	7.5	7.3	10.0
1956	8.9	8.6	10.4	11.8	12.4	10.4	7.5	7.2	10.4
1957	9.2	8.9	10.6	12.2	12.9	10.7	7.7	7.4	10.5
1958	9.2	8.8	10.8	12.2	12.8	10.9	7.8	7.5	10.6
1959	8.9	8.7	10.1	11.9	12.8	10.3	7.5	7.3	9.9
1960	9.0	8.7	10.5	12.2	13.2	10.5	7.6	7.3	10.4
1961	8.7	8.4	10.2	11.9	12.9	10.2	7.4	7.1	10.1
1962	8.8	8.5	10.1	12.2	13.3	10.3	7.4	7.2	9.8



TABLE 6. INFANT DEATHS AND INFANT DEATH RATES, BY RACE, THREE MARYLAND AREAS, 1920-1962

N U M B E R O F I N F A N T D E A T H S									
Year	Maryland State			Baltimore City			Total Counties		
	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite
1920	3,785	2,667	1,118	1,926	1,461	465	1,859	1,206	653
1930	2,339	1,541	798	916	619	297	1,423	922	501
1940	1,593	1,062	531	641	387	254	952	675	277
1945	1,634	1,113	521	708	436	272	926	677	249
1950	1,476	965	511	581	307	274	895	658	237
1955	1,917	1,223	694	723	340	383	1,194	883	311
1956	1,888	1,244	644	714	334	380	1,174	910	264
1957	2,144	1,346	798	868	355	513	1,276	991	285
1958	2,212	1,421	791	861	366	495	1,351	1,055	296
1959	2,209	1,370	839	847	315	532	1,362	1,055	307
1960	2,122	1,341	781	757	292	465	1,365	1,049	316
1961	1,998	1,273	725	741	297	444	1,257	976	281
1962	2,071	1,334	737	732	286	446	1,339	1,048	291
I N F A N T D E A T H R A T E S P E R 1,000 L I V E B I R T H S									
Year	Maryland State			Baltimore City			Total Counties		
	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite
1920	103.1	89.2	163.6	104.5	93.8	163.6	101.6	84.3	163.7
1930	75.5	63.0	122.1	65.4	57.0	94.2	83.8	67.8	148.2
1940	49.2	41.7	76.6	46.7	38.3	70.4	51.0	44.0	83.3
1945	38.2	32.1	64.0	39.7	32.8	59.9	37.1	31.7	69.2
1950	26.4	22.1	41.2	27.2	21.7	38.0	25.9	22.4	45.8
1955	27.7	22.4	47.3	31.0	23.7	42.9	26.0	22.0	54.3
1956	26.2	22.1	40.9	30.0	23.8	39.0	24.3	21.5	44.2
1957	28.2	22.8	46.9	34.6	24.8	47.7	25.0	22.1	45.7
1958	29.1	24.1	46.2	35.2	27.3	44.7	26.2	23.2	48.9
1959	28.6	23.0	47.6	35.4	25.0	47.0	25.6	22.5	48.6
1960	27.4	22.3	44.9	32.5	24.3	41.3	25.2	21.8	51.5
1961	25.6	21.0	41.4	32.0	24.9	39.6	22.8	20.0	44.7
1962	27.1	22.6	42.9	32.9	25.3	40.8	24.8	21.9	46.5

TABLE 7. FETAL DEATHS AND FETAL DEATH RATES BY RACE, THREE MARYLAND AREAS, 1920-1962

NUMBER OF FETAL DEATHS									
Year	Maryland State			Baltimore City			Total Counties		
	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite
1920	2,916	2,028	888	1,422	995	427	1,494	1,033	461
1930	2,160	1,409	751	1,038	650	388	1,122	759	363
1940	1,352	860	492	638	373	265	714	487	227
1945	1,220	805	415	616	352	264	604	453	151
1950	1,102	728	374	460	270	190	642	458	184
1955	1,109	797	312	354	195	159	755	602	153
1956	1,187	836	351	406	215	191	781	621	160
1957	1,174	776	398	408	179	229	766	597	169
1958	1,197	775	422	444	179	265	753	596	157
1959	1,265	857	408	441	192	249	824	665	159
1960	1,224	811	413	428	187	241	796	624	172
1961	1,218	810	408	433	176	257	785	634	151
1962	1,176	813	363	372	145	227	804	668	136
FETAL DEATH RATES PER 1,000 TOTAL BIRTHS									
Year	Maryland State			Baltimore City			Total Counties		
	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite
1920	73.6	63.5	115.0	71.6	60.0	130.6	75.5	67.4	103.6
1930	65.2	54.5	103.1	69.0	56.5	109.6	62.0	52.9	97.0
1940	40.1	32.7	66.3	44.5	35.6	68.4	36.9	30.8	63.9
1945	27.7	22.7	48.5	33.4	25.8	55.0	23.6	20.8	40.3
1950	19.3	16.4	29.3	21.1	18.7	25.7	18.2	15.3	34.3
1955	15.8	14.4	20.8	15.0	13.4	17.5	16.2	14.8	26.0
1956	16.2	14.6	21.8	16.8	15.1	19.2	15.9	14.4	26.1
1957	15.2	13.0	22.9	16.0	12.4	20.8	14.8	13.1	26.4
1958	15.5	13.0	24.0	17.8	13.2	23.4	14.4	12.9	25.3
1959	16.1	14.2	22.6	18.1	15.0	21.5	15.2	14.0	24.6
1960	15.2	13.3	23.2	18.1	15.3	20.9	14.5	12.8	27.3
1961	15.3	13.2	22.8	18.4	14.5	22.4	14.1	12.8	23.5
1962	15.2	13.6	20.7	16.4	12.7	20.3	14.7	13.8	21.3



TABLE 8. RATES FOR BIRTHS, DEATHS, AND INFANT DEATHS, BY RACE AND POLITICAL SUBDIVISION, 1962

Area of Residence	BIRTH RATES*			DEATH RATES*			INFANT DEATH RATES		
	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite
Maryland State	23.6	22.0	31.2	8.8	8.5	10.1	27.1	22.6	42.9
Baltimore City	23.9	19.3	31.6	12.2	13.3	10.3	32.9	25.3	40.8
Total Counties	23.4	22.7	30.5	7.4	7.2	9.8	24.8	21.9	46.5
Allegany	19.8	19.8	16.1	11.6	11.6	8.4	20.4	20.6	-
Anne Arundel	23.5	23.1	25.5	6.3	6.1	7.9	21.9	18.0	43.2
Baltimore	21.5	21.4	25.9	6.5	6.4	9.8	20.7	20.5	24.7
Calvert	27.9	19.8	40.9	8.4	7.6	9.6	30.4	18.5	39.7
Caroline	22.7	20.7	31.1	12.1	11.6	14.4	23.7	15.9	46.3
Carroll	20.5	20.1	27.5	9.2	9.1	11.0	28.9	28.8	30.8
Cecil	25.6	25.0	34.6	7.7	7.7	8.6	29.8	29.0	38.5
Charles	29.8	23.5	42.8	8.8	8.5	9.4	36.7	27.7	46.9
Dorchester	19.3	15.7	28.7	12.4	12.8	11.6	53.9	38.2	76.6
Frederick	21.5	20.6	35.9	10.3	10.0	13.9	20.2	17.3	45.5
Garrett	19.9	20.0	-	10.4	10.5	-	20.7	20.7	-
Harford	27.6	26.8	35.2	6.7	6.6	7.3	26.3	25.8	29.7
Howard	24.9	24.2	30.3	6.9	6.8	7.3	25.7	28.4	8.0
Kent	20.9	19.4	25.3	13.1	12.0	16.7	36.1	21.6	70.0
Montgomery	22.2	21.8	30.2	6.0	5.9	8.6	22.5	21.2	46.4
Prince Georges	27.8	27.3	33.4	5.8	5.6	7.7	26.9	23.5	57.2
Queen Annes	23.6	22.9	25.5	10.6	10.2	11.6	40.5	26.9	72.7
Saint Marys	34.6	32.6	43.1	6.4	5.7	9.5	27.3	19.9	50.6
Somerset	18.6	13.9	26.4	14.2	14.7	13.3	28.4	27.5	29.1
Talbot	19.0	17.3	23.8	13.1	12.6	14.5	26.5	16.6	46.4
Washington	20.9	21.1	15.8	9.8	9.7	12.2	21.2	20.7	41.7
Wicomico	19.1	16.9	26.6	11.5	11.5	11.6	32.5	26.8	44.6
Worcester	21.1	16.1	31.4	11.6	10.7	13.5	37.9	11.0	66.4

* Birth and death rates are per 1000 population; infant death rates are per 1000 live births.

TABLE 9. NUMBER OF FETAL DEATHS, INFANT DEATHS, AND NEONATAL DEATHS, BY RACE AND POLITICAL SUBDIVISION, 1962

Area of Residence	FETAL DEATHS*			DEATHS UNDER AGE ONE			NEONATAL DEATHS*		
	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite
Maryland State	1,176	813	363	2,071	1,334	737	1,568	1,055	513
Baltimore City	372	145	227	732	286	446	556	233	323
Total Counties	804	668	136	1,339	1,048	291	1,012	822	190
Allegany	30	29	1	34	34	-	27	27	-
Anne Arundel	69	55	14	113	79	34	79	54	25
Baltimore	132	123	9	227	216	11	186	178	8
Calvert	2	-	2	15	4	11	5	3	2
Caroline	8	5	3	10	5	5	4	3	1
Carroll	23	20	3	33	31	2	23	22	1
Cecil	22	22	-	39	35	4	27	24	3
Charles	17	9	8	40	16	24	34	14	20
Dorchester	19	6	13	31	13	18	27	13	14
Frederick	30	26	4	34	26	8	25	19	6
Garrett	7	7	-	9	9	-	6	6	-
Harford	42	36	6	58	50	8	46	41	5
Howard	18	16	2	25	24	1	18	17	1
Kent	8	4	4	12	5	7	8	4	4
Montgomery	110	98	12	186	165	21	151	136	15
Prince Georges	166	143	23	303	237	66	231	189	42
Queen Annes	14	9	5	15	7	8	7	3	4
Saint Marys	14	8	6	38	21	17	25	18	7
Somerset	8	4	4	11	5	6	7	3	4
Talbot	5	4	1	12	5	7	10	4	6
Washington	29	27	2	42	40	2	32	30	2
Wicomico	14	10	4	32	18	14	23	12	11
Worcester	17	7	10	20	3	17	11	2	9

* Fetal deaths are gestation periods of 20 weeks and over; neonatal deaths are deaths under 28 days.

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637

DATE
BY
TITLE
AUTHOR
SUBJECT

DATE
BY
TITLE
AUTHOR
SUBJECT

DATE
BY
TITLE
AUTHOR
SUBJECT

TABLE 10. RATES FOR FETAL DEATHS, NEONATAL DEATHS AND PERINATAL DEATHS, BY RACE AND POLITICAL SUBDIVISION, 1962

Area of Residence	FETAL RATES*			NEONATAL DEATH RATES*			PERINATAL DEATH RATES*		
	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite
Maryland State	15.2	13.6	20.7	20.5	17.8	29.8	35.4	31.2	49.9
Baltimore City	16.4	12.7	20.3	25.0	20.6	29.5	41.0	33.0	49.2
Total Counties	14.7	13.8	21.3	18.7	17.2	30.4	33.1	30.7	51.0
Allegany	17.7	17.3	45.5	16.2	16.4	-	33.6	33.4	45.5
Anne Arundel	13.2	12.4	17.5	15.3	12.3	31.8	28.2	24.6	48.7
Baltimore	11.9	11.5	19.8	16.9	16.9	18.0	28.6	28.2	37.4
Calvert	4.0	-	7.2	10.1	13.9	7.2	14.1	13.9	14.3
Caroline	18.6	15.7	27.0	9.5	9.6	9.3	27.9	25.1	36.0
Carroll	19.8	18.3	44.1	20.2	20.5	15.4	39.6	38.4	58.8
Cecil	16.5	17.9	-	20.6	19.9	28.8	36.8	37.5	28.8
Charles	15.4	15.3	15.4	31.2	24.2	39.1	46.1	39.2	53.8
Dorchester	32.0	17.3	52.4	47.0	38.2	59.6	77.4	54.9	108.9
Frederick	17.5	17.0	22.2	14.9	12.6	34.1	32.2	29.4	55.6
Garrett	15.8	15.8	-	13.8	13.8	-	29.4	29.4	-
Harford	18.7	18.2	21.8	20.8	21.1	18.6	39.1	39.0	40.0
Howard	18.2	18.6	15.7	18.5	20.1	8.0	36.4	38.3	23.6
Kent	23.5	16.9	38.5	24.1	17.2	40.0	47.1	33.9	76.9
Montgomery	13.2	12.4	25.8	18.3	17.4	33.1	31.2	29.6	58.1
Prince Georges	14.5	14.0	19.5	20.5	18.7	36.4	34.8	32.4	55.2
Queen Annes	36.5	33.5	43.5	18.9	11.5	36.4	54.7	44.6	78.3
Saint Marys	10.0	7.5	17.5	17.9	17.0	20.8	27.7	24.4	38.0
Somerset	20.2	21.5	19.0	18.0	16.5	19.4	37.9	37.6	38.1
Talbot	10.9	13.1	6.6	22.1	13.3	39.7	32.8	26.2	46.1
Washington	14.4	13.8	40.0	16.1	15.5	41.7	30.3	29.1	80.0
Wicomico	14.0	14.7	12.6	23.3	17.9	35.0	37.0	32.3	47.2
Worcester	31.2	25.1	37.6	20.8	7.4	35.2	51.4	32.3	71.4

* Fetal and perinatal death rates are per 1000 total births (live + fetal); neonatal death rates are per 1000 live births.



TABLE 11. NUMBER OF MARRIAGES BY RACE, AND NUMBER OF DIVORCES, BY POLITICAL SUBDIVISION OF OCCURRENCE, 1962

Area of Occurrence	N u m b e r o f m a r r i a g e s *						Number of Divorces Granted
	By residence in Maryland			By race			
	Total	Residents of Maryland	Non-residents of Maryland**	White	Nonwhite		
			Number				
Maryland State	40,518	24,187	16,331	40.3	33,262	7,256	6,022
Baltimore City	9,291	8,512	779	8.4	5,914	3,377	2,584
Total Counties	31,227	15,675	15,552	49.8	27,348	3,879	3,438
Allegany	2,404	761	1,643	68.3	2,334	70	152
Anne Arundel	1,457	1,249	208	14.3	1,247	210	291
Baltimore	3,216	2,744	472	14.7	3,090	126	696
Calvert	148	141	7	4.7	112	36	12
Caroline	375	181	194	51.7	298	77	15
Carroll	702	455	247	35.2	688	14	44
Cecil	7,452	710	6,742	90.5	6,002	1,450	93
Charles	485	301	184	37.9	372	113	34
Dorchester	269	255	14	5.2	177	92	61
Frederick	882	642	240	27.2	823	59	121
Garrett	1,668	230	1,438	86.2	1,650	18	36
Harford	1,279	706	573	44.8	1,183	96	104
Howard	626	570	56	8.9	564	62	33
Kent	207	151	56	27.1	165	42	34
Montgomery	2,906	1,974	932	32.1	2,497	409	398
Prince Georges	2,866	2,237	629	21.9	2,490	376	719
Queen Annes	143	129	14	9.8	109	34	19
Saint Marys	295	281	14	4.7	247	48	63
Somerset	232	164	68	29.3	167	65	46
Talbot	232	210	22	9.5	173	59	37
Washington	2,321	909	1,412	60.8	2,224	97	222
Wicomico	659	468	191	29.0	480	179	146
Worcester	403	207	196	48.6	256	147	62

* Marriages refer to the number of ceremonies performed in Maryland Areas-not the number of persons married
 ** Both partners were non-residents of Maryland



TABLE 12. BIRTHS, BY MONTH OF BIRTH AND RACE, THREE MARYLAND AREAS, 1962

Area of Residence	Race	All months	M O N T H O F B I R T H											
			Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Maryland State	All births	76,325	6304	5672	6417	5796	5982	5707	6800	6969	7152	6789	6336	6401
	White	59,130	4798	4347	5040	4508	4671	4415	5182	5378	5570	5294	4969	4958
	Nonwhite	17,195	1506	1325	1377	1288	1311	1292	1618	1591	1582	1495	1367	1443
Baltimore City	All births	22,252	1799	1722	1908	1717	1710	1623	2017	2022	2045	1984	1849	1856
	White	11,309	862	862	1042	889	871	818	987	1018	1050	1029	944	937
	Nonwhite	10,943	937	860	866	828	839	805	1030	1004	995	955	905	919
Total Counties	All births	54,073	4505	3950	4509	4079	4272	4084	4783	4947	5107	4805	4487	4545
	White	47,821	3936	3485	3998	3619	3800	3597	4195	4360	4520	4265	4025	4021
	Nonwhite	6,252	569	465	511	460	472	487	588	587	587	540	462	524

TABLE 13. BIRTHS, BY AGE OF MOTHER AND RACE, THREE MARYLAND AREAS, 1962

Area of Residence	Race	All ages	A G E O F M O T H E R										45 & over	Not stated
			Under 15	15-19	20-24	25-29	30-34	35-39	40-44					
Maryland State	All births	76,325	205	11,836	25,467	19,024	11,882	6,191	1,592	79	49			
	White	59,130	39	7,802	19,913	15,288	9,683	5,029	1,283	62	31			
	Nonwhite	17,195	166	4,034	5,554	3,736	2,199	1,162	309	17	18			
Baltimore City	All births	22,252	117	4,362	7,687	5,026	3,064	1,562	406	22	6			
	White	11,309	11	1,780	4,188	2,619	1,644	830	222	14	1			
	Nonwhite	10,943	106	2,582	3,499	2,407	1,420	732	184	8	5			
Total Counties	All births	54,073	88	7,474	17,780	13,998	8,818	4,629	1,186	57	43			
	White	47,821	28	6,022	15,725	12,669	8,039	4,199	1,061	48	30			
	Nonwhite	6,252	60	1,452	2,055	1,329	779	430	125	9	13			

TABLE 14. BIRTHS, BY BIRTH ORDER, AGE OF MOTHER AND RACE, MARYLAND, 1962

Birth Order*	All Ages**	A G E O F M O T H E R							
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 & over
<u>Total births:</u>	76,325	205	11,836	25,467	19,024	11,882	6,191	1,592	79
First child	22,748	194	8,024	9,381	3,402	1,169	459	99	4
Second	17,906	11	2,834	7,776	4,419	1,929	741	182	4
Third	13,391	-	736	4,484	4,287	2,524	1,106	240	9
Fourth	9,046	-	189	2,293	2,989	2,161	1,125	270	12
Fifth	5,501	-	38	933	1,812	1,576	896	229	13
Sixth	3,238	-	11	405	1,042	994	629	149	7
Seventh	2,265	-	-	146	660	747	554	147	11
Eighth or more	2,215	-	-	45	412	780	681	276	19
Not stated	15	-	4	4	1	2	-	-	-
<u>Total white:</u>	59,130	39	7,802	19,913	15,288	9,683	5,029	1,283	62
First child	18,829	39	5,783	8,312	3,102	1,069	417	90	4
Second	14,602	-	1,650	6,373	3,965	1,761	672	169	4
Third	10,783	-	313	3,283	3,698	2,268	1,000	208	9
Fourth	6,919	-	50	1,384	2,361	1,882	991	238	10
Fifth	3,882	-	5	403	1,232	1,279	752	200	10
Sixth	2,000	-	-	112	568	715	489	110	5
Seventh	1,272	-	-	33	274	458	387	113	7
Eighth or more	838	-	-	10	88	251	321	155	13
Not stated	5	-	1	3	-	-	-	-	-
<u>Total nonwhite:</u>	17,195	166	4,034	5,554	3,736	2,199	1,162	309	17
First child	3,919	155	2,241	1,069	300	100	42	9	-
Second	3,304	11	1,184	1,403	454	168	69	13	-
Third	2,608	-	423	1,201	589	256	106	32	-
Fourth	2,127	-	139	909	628	279	134	32	2
Fifth	1,619	-	33	530	580	297	144	29	3
Sixth	1,238	-	11	293	474	279	140	39	2
Seventh	993	-	-	113	386	289	167	34	4
Eighth or more	1,377	-	-	35	324	529	360	121	6
Not stated	10	-	3	1	1	2	-	-	-

* Based on the current live births plus all previous deliveries to the mother.

** Includes 49 mothers with age not stated.

TABLE 15. ILLEGITIMATE BIRTHS, BY RACE, MARYLAND, 1962

Area	ILLEGITIMATE BIRTHS OCCURRING IN MARYLAND			ILLEGITIMATE BIRTHS TO MARYLAND RESIDENTS				
	Total	White	Nonwhite	Total	White	Nonwhite	Per cent Illegitimate	
							Total	White Nonwhite
Maryland State	7,192	1,527	5,665	7,486	1,754	5,732	9.8	33.3
Baltimore City	4,729	829	3,900	4,165	574	3,591	18.7	32.8
Total Counties	2,463	698	1,765	3,321	1,180	2,141	6.1	34.2
Allegany	56	48	8	55	48	7	3.3	33.3
Anne Arundel	148	30	118	360	90	270	7.0	34.3
Baltimore	6	4	2	278	171	107	2.5	24.0
Calvert	128	6	122	122	6	116	24.7	41.9
Caroline	7	-	7	57	9	48	13.5	44.4
Carroll	21	17	4	67	39	28	5.9	43.1
Cecil	81	50	31	87	55	32	6.6	30.8
Charles	102	5	97	171	13	158	15.7	30.9
Dorchester	105	12	93	114	12	102	19.8	43.4
Frederick	135	54	81	144	75	69	8.6	39.2
Garrett	22	22	-	21	21	-	4.8	-
Harford	128	61	67	134	66	68	6.1	25.3
Howard	1	-	1	53	21	32	5.5	25.6
Kent	74	13	61	57	11	46	17.2	46.0
Montgomery	270	116	154	316	172	144	3.8	31.8
Prince Georges	391	127	264	519	227	292	4.6	25.3
Queen Annes	1	-	1	70	7	63	18.9	57.3
Saint Marys	117	6	111	135	11	124	9.7	36.9
Somerset	52	1	51	86	2	84	22.2	40.8
Talbot	170	10	160	82	6	76	18.1	50.3
Washington	96	85	11	98	88	10	4.9	20.8
Wicomico	283	31	252	150	22	128	15.2	40.8
Worcester	69	-	69	145	8	137	27.5	53.5



TABLE 16. SINGLE AND PLURAL BIRTHS, BY BIRTHWEIGHT AND RACE, THREE MARYLAND AREAS, 1962

Area of Residence	SINGLE BIRTHS				Total Plural Births	PLURAL BIRTHS			
	BIRTHWEIGHT					BIRTHWEIGHT			
	2500 gms and less	2501 gms and over	Not stated	PER CENT 2500 gms and less		2500 gms and less	2501 gms and over	Not stated	PER CENT 2500 gms and less
<u>MARYLAND STATE</u>									
Total	74,678	6,577	68	8.8	1,647	994	653	-	60.4
White	57,952	4,246	41	7.3	1,178	656	522	-	55.7
Nonwhite	16,726	2,331	27	13.9	469	338	131	-	72.1
<u>BALTIMORE CITY</u>									
Total	21,757	2,465	31	11.3	495	332	163	-	67.1
White	11,105	898	18	8.1	204	114	90	-	55.9
Nonwhite	10,652	1,567	13	14.7	291	218	73	-	74.9
<u>TOTAL COUNTIES</u>									
Total	52,921	4,112	37	7.8	1,152	662	490	-	57.5
White	46,847	3,348	23	7.1	974	542	432	-	55.6
Nonwhite	6,074	764	14	12.6	178	120	58	-	67.4

TABLE 17. NUMBER OF BIRTHS, PREMATURE BIRTHS AND PER CENT PREMATURE, BY RACE AND POLITICAL SUBDIVISION, 1962

Area of Residence	ALL BIRTHS			PREMATURE BIRTHS			PER CENT PREMATURE*		
	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite
Maryland State	76,325	59,130	17,195	7,571	4,902	2,669	9.9	8.3	15.5
Baltimore City	22,252	11,309	10,943	2,797	1,012	1,785	12.6	8.9	16.3
Total Counties	54,073	47,821	6,252	4,774	3,890	884	8.8	8.1	14.1
Allegany	1,668	1,647	21	105	101	4	6.3	6.1	19.0
Anne Arundel	5,171	4,384	787	432	325	107	8.4	7.4	13.6
Baltimore	10,978	10,533	445	793	749	44	7.2	7.1	9.9
Calvert	493	216	277	38	19	19	7.7	8.8	6.9
Caroline	422	314	108	41	26	15	9.7	8.3	13.9
Carroll	1,140	1,075	65	90	80	10	7.9	7.4	15.4
Cecil	1,310	1,206	104	96	90	6	7.3	7.5	5.8
Charles	1,090	578	512	114	47	67	10.5	8.1	13.1
Dorchester	575	340	235	61	24	37	10.6	7.1	15.7
Frederick	1,680	1,504	176	123	100	23	7.3	6.6	13.1
Garrett	435	435	-	33	33	-	7.6	7.6	-
Harford	2,209	1,940	269	201	162	39	9.1	8.4	14.5
Howard	971	846	125	79	60	19	8.1	7.1	15.2
Kent	332	232	100	32	17	15	9.6	7.3	15.0
Montgomery	8,253	7,800	453	775	697	78	9.4	8.9	17.2
Prince Georges	11,246	10,092	1,154	1,173	998	175	10.4	9.9	15.2
Queen Annes	370	260	110	29	15	14	7.8	5.8	12.7
Saint Marys	1,393	1,057	336	128	77	51	9.2	7.3	15.2
Somerset	388	182	206	31	11	20	8.0	6.0	9.7
Talbot	452	301	151	43	16	27	9.5	5.3	17.9
Washington	1,983	1,935	48	176	166	10	8.9	8.6	20.8
Wicomico	986	672	314	112	54	58	11.4	8.0	18.5
Worcester	528	272	256	69	23	46	13.1	8.5	18.0

* Per cent of total live births

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637

TABLE 18. BIRTHS BY HOSPITALIZATION, RACE, AND POLITICAL SUBDIVISION, 1962

Area of Residence	NUMBER OF HOSPITAL BIRTHS			PER CENT OF TOTAL BIRTHS OCCURRING IN HOSPITALS			LOCATION OF HOSPITAL				
	Total	White	Nonwhite	Total	White	Nonwhite	Same County as Residence	Other County	Other States	Balto. City	
Maryland State	75,120	58,808	16,312	98.4	99.5	94.9	22,835	4,563	11,854	35,868	
Baltimore City	21,868	11,237	10,631	98.3	99.4	97.1	...	137	95	21,636	
Total Counties	53,252	47,571	5,681	98.5	99.5	90.9	22,835	4,426	11,759	14,232	
Allegany	1,663	1,642	21	99.7	99.7	100.0	1,548	8	104	3	
Anne Arundel	5,131	4,363	768	99.2	99.5	97.6	2,370	179	132	2,450	
Baltimore	10,926	10,489	437	99.5	99.6	98.2	-	188	162	10,576	
Calvert	488	215	273	99.0	99.5	98.6	384	73	17	14	
Caroline	404	311	93	95.7	99.0	86.1	-	313	90	1	
Carroll	1,111	1,051	60	97.5	97.8	92.3	454	138	283	236	
Cecil	1,303	1,202	101	99.5	99.7	97.1	922	258	112	11	
Charles	901	565	336	82.7	97.8	65.6	302	227	361	11	
Dorchester	482	334	148	83.8	98.2	63.0	408	58	14	2	
Frederick	1,666	1,492	174	99.2	99.2	98.9	1,264	106	284	12	
Garrett	432	432	-	99.3	99.3	-	323	26	82	1	
Harford	2,196	1,931	265	99.4	99.5	98.5	1,869	25	34	268	
Howard	963	840	123	99.2	99.3	98.4	-	424	32	507	
Kent	328	232	96	98.8	100.0	96.0	295	17	16	-	
Montgomery	8,226	7,781	445	99.7	99.8	98.2	3,842	145	4,219	20	
Prince Georges	11,198	10,060	1,138	99.6	99.7	98.6	4,339	1,271	5,519	69	
Queen Annes	363	258	105	98.1	99.2	95.5	-	346	9	8	
Saint Marys	1,338	1,038	300	96.1	98.2	89.3	1,253	23	32	30	
Somerset	318	177	141	82.0	97.3	68.4	148	168	2	-	
Talbot	447	300	147	98.9	99.7	97.4	427	10	6	4	
Washington	1,966	1,920	46	99.1	99.2	95.8	1,748	7	206	5	
Wicomico	979	669	310	99.3	99.6	98.7	939	5	33	2	
Worcester	423	269	154	80.1	98.9	60.2	-	411	10	2	

Handwritten text in a cursive script, likely a letter or document. The text is mostly illegible due to fading and blurring.

Handwritten text in a cursive script, likely a letter or document. The text is mostly illegible due to fading and blurring.

Handwritten text in a cursive script, likely a letter or document. The text is mostly illegible due to fading and blurring.

Handwritten text in a cursive script, likely a letter or document. The text is mostly illegible due to fading and blurring.

TABLE 19. BIRTHS BY ATTENDANT AND RACE WITH PER CENT PHYSICIAN ATTENDED, AND POLITICAL SUBDIVISION, 1962

Area of Residence	D E L I V E R E D B Y :										PER CENT PHYSICIAN ATTENDED		
	PHYSICIAN			MIDWIFE			OTHER ATTENDANT						
	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite	
Maryland State	75,599	59,014	16,585	522	44	478	204	72	132	99.0	99.8	96.5	
Baltimore City	22,087	11,286	10,801	54	12	42	111	11	100	99.3	99.8	98.7	
Total Counties	53,512	47,728	5,784	468	32	436	93	61	32	99.0	99.8	92.5	
Allegany	1,667	1,646	21	-	-	-	1	1	-	99.9	99.9	100.0	
Anne Arundel	5,147	4,372	775	6	2	4	18	10	8	99.5	99.7	98.5	
Baltimore	10,965	10,521	444	1	1	-	12	11	1	99.9	99.9	99.8	
Calvert	491	215	276	1	-	1	1	1	-	99.6	99.5	99.6	
Caroline	415	314	101	6	-	6	1	-	1	98.3	100.0	93.5	
Carroll	1,138	1,074	64	-	-	-	2	1	1	99.8	99.9	98.5	
Cecil	1,307	1,204	103	-	-	-	3	2	1	99.8	99.8	99.0	
Charles	916	570	346	168	6	162	6	2	4	84.0	98.6	67.6	
Dorchester	486	335	151	84	1	83	5	4	1	84.5	98.5	64.3	
Frederick	1,674	1,499	175	4	4	-	2	1	1	99.6	99.7	99.4	
Garrett	433	433	-	2	2	-	-	-	-	99.5	99.5	-	
Harford	2,205	1,937	268	-	-	-	4	3	1	99.8	99.8	99.6	
Howard	968	844	124	-	-	-	3	2	1	99.7	99.8	99.2	
Kent	331	232	99	-	-	-	1	-	1	99.7	100.0	99.0	
Montgomery	8,242	7,793	449	-	-	-	11	7	4	99.9	99.9	99.1	
Prince Georges	11,238	10,087	1,151	-	-	-	8	5	3	99.9	99.9	99.7	
Queen Annes	368	259	109	-	-	-	2	1	1	99.5	99.6	99.1	
Saint Marys	1,344	1,042	302	49	15	34	-	-	-	96.5	98.6	89.9	
Somerset	324	179	145	62	1	61	2	2	-	83.5	98.4	70.4	
Talbot	451	301	150	1	-	1	-	-	-	99.8	100.0	99.3	
Washington	1,975	1,927	48	-	-	-	8	8	-	99.6	99.6	100.0	
Wicomico	985	672	313	-	-	-	1	-	1	99.9	100.0	99.7	
Worcester	442	272	170	84	-	84	2	-	2	83.7	100.0	66.4	

THE UNIVERSITY OF CHICAGO
LIBRARY
1100 EAST 58TH STREET
CHICAGO, ILL. 60637

DATE _____
BY _____
TITLE _____

NUMBER _____
VOLUME _____
ISSUE _____

ISSUED _____
BY _____
TO _____

RECEIVED _____
DATE _____
BY _____

TABLE 20. BIRTHS BY PLACE OF RESIDENCE AND OCCURRENCE, BY RACE AND POLITICAL SUBDIVISION, 1962

Area	Births by area of mother's residence			Births in Maryland by area of birth		
	Total	White	Nonwhite	Total	White	Nonwhite
Maryland State	76,325	59,130	17,195	67,489	50,508	16,981
Baltimore City	22,252	11,309	10,943	36,340	24,552	11,788
Total Counties	54,073	47,821	6,252	31,149	25,956	5,193
Allegany	1,668	1,647	21	1,980	1,953	27
Anne Arundel	5,171	4,384	787	2,923	2,421	502
Baltimore	10,978	10,533	445	43	35	8
Calvert	493	216	277	453	170	283
Caroline	422	314	108	14	1	13
Carroll	1,140	1,075	65	553	531	22
Cecil	1,310	1,206	104	1,061	962	99
Charles	1,090	578	512	524	273	251
Dorchester	575	340	235	519	298	221
Frederick	1,680	1,504	176	1,460	1,267	193
Garrett	435	435	-	411	411	-
Harford	2,209	1,940	269	2,228	1,950	278
Howard	971	846	125	5	4	1
Kent	332	232	100	472	342	130
Montgomery	8,253	7,800	453	6,389	5,818	571
Prince Georges	11,246	10,092	1,154	5,669	4,587	1,082
Queen Annes	370	260	110	7	3	4
Saint Marys	1,393	1,057	336	1,349	1,037	312
Somerset	388	182	206	236	112	124
Talbot	452	301	151	997	682	315
Washington	1,983	1,935	48	1,952	1,906	46
Wicomico	986	672	314	1,785	1,189	596
Worcester	528	272	256	119	4	115

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637

TABLE 21. BIRTHS TO RESIDENTS OF MARYLAND AND BIRTHS OCCURRING IN MARYLAND BY AREA OF RESIDENCE AND AREA OF OCCURRENCE, 1962.

Area of residence of mother	AREA OF OCCURRENCE OF BIRTH						Out of State
	All areas of occurrence	STATE OF MARYLAND				Balto. City	
		State total	Same Md. County as residence	Md. County other than residence			
Maryland State	76,325	64,457	23,612	4,585	36,260	11,868	
Baltimore City	22,252	22,156	XX	142	22,014	96	
Total Counties	54,073	42,301	23,612	4,443	14,246	11,772	
Allegany	1,668	1,564	1,553	8	3	104	
Anne Arundel	5,171	5,038	2,405	181	2,452	133	
Baltimore	10,978	10,815	39	188	10,588	163	
Calvert	493	475	388	73	14	18	
Caroline	422	331	14	316	1	91	
Carroll	1,140	857	480	141	236	283	
Cecil	1,310	1,198	929	258	11	112	
Charles	1,090	729	490	228	11	361	
Dorchester	575	561	501	58	2	14	
Frederick	1,680	1,396	1,278	106	12	284	
Garrett	435	353	326	26	1	82	
Harford	2,209	2,174	1,881	25	268	35	
Howard	971	939	5	427	507	32	
Kent	332	316	299	17	-	16	
Montgomery	8,253	4,031	3,865	146	20	4,222	
Prince Georges	11,246	5,723	4,381	1,273	69	5,523	
Queen Annes	370	361	5	348	8	9	
Saint Marys	1,393	1,361	1,308	23	30	32	
Somerset	388	385	216	169	-	3	
Talbot	452	446	432	10	4	6	
Washington	1,983	1,777	1,765	7	5	206	
Wicomico	986	953	946	5	2	33	
Worcester	528	518	106	410	2	10	
Out of State	XXX	3,032	XXX	2,952	80	XXX	
All areas of residence	XXX	67,489	23,612	7,537	36,340	YYY	



TABLE 22. DEATHS FROM 59 SELECTED CAUSES, BY AGE, MARYLAND, 1962

Causes of death with 7th Revision International List Number	All ages*	D E A T H S					B Y			65 & over
		Under one year	1 - 4	5-17	18-44	45-64	A G E			
All causes	28,471	2,071	291	421	2,491	7,833	15,359			
Tuberculosis, all forms (001-019)	226	1	1	3	47	85	89			
Tuberculosis of respiratory system (001-008)	216	-	-	-	44	83	89			
Tuberculosis, other forms (010-019)	10	1	1	3	3	2	-			
Syphilis and its sequelae (020-029)	54	-	-	-	7	26	21			
Dysentery, all forms (045-048)	5	-	-	3	1	1	-			
Scarlet fever and streptococcal sore throat (050-051)	-	-	-	-	-	-	-			
Diphtheria (055)	-	-	-	-	-	-	-			
Whooping cough (056)	3	3	-	-	-	-	-			
Meningococcal infections (057)	12	5	3	2	2	-	-			
Acute poliomyelitis (080)	1	-	1	-	-	-	-			
Measles (085)	4	1	3	-	-	-	-			
Other infective and parasitic diseases (Remainder of 001-138)	80	10	8	5	11	18	28			
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-205)	4,604	7	29	64	409	1,869	2,226			
Malignant neoplasm of buccal cavity and pharynx (140-148)	111	-	-	1	8	54	48			
Malignant neoplasm of digestive organs and peritoneum, not specified as secondary (150-156A, 157-159)	1,475	1	-	1	82	541	850			
Malignant neoplasm of respiratory system, not specified as secondary (160-164)	817	-	-	2	52	430	333			
Malignant neoplasm of breast (170)	410	-	-	-	59	197	154			
Malignant neoplasm of genital organs (171-179)	629	-	-	-	65	227	337			

TABLE 22. (CONTINUED - 2)

	All ages*	D E A T H S					B Y		A G E	
		Under one year	1 - 4	5-17	18-44	45-64	65 & over			
Causes of death with 7th Revision International List Number										
Malignant neoplasm of urinary organs (180,181)	223	-	4	3	7	80	129			
Malignant neoplasm of other and unspecified sites (156B,165,190-199)	540	3	13	18	60	211	235			
Leukemia and aleukemia (204)	189	2	12	33	25	50	67			
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues (200-203,205)	210	1	-	6	51	79	73			
Benign neoplasms and neoplasms of unspecified nature (210-239)	110	3	4	8	25	43	27			
Asthma (241)	81	-	2	2	20	34	23			
Diabetes mellitus (260)	593	1	-	1	35	188	368			
Anemias (290-293)	48	-	6	3	7	5	27			
Meningitis, except meningococcal and tuberculous (340)	51	19	6	2	6	11	7			
Major cardiovascular-renal diseases (330-334, 400-468, 592-594)	15,369	6	8	22	691	4,065	10,575			
Diseases of cardiovascular system (330-334,400-468)	15,189	5	6	17	662	4,000	10,497			
Vascular lesions affecting central nervous system (330-334)	2,224	2	1	5	96	518	1,602			
Diseases of heart (400-402,410-443)	11,943	3	4	11	498	3,286	8,139			
Rheumatic fever and chronic rheumatic heart disease (400-402, 410-416)	291	1	-	4	60	147	79			
Arteriosclerotic heart disease, including coronary disease (420)	6,919	-	-	1	269	2,079	4,569			
Nonrheumatic chronic endocarditis and other myocardial degeneration (421,422)	2,593	1	2	1	64	517	2,007			

TABLE 22. (CONTINUED - 3)

	All ages*	D E A T H S B Y A G E				
		Under one year	1 - 4	5-17	18-44	45-64
Causes of death with 7th Revision International List Number						65 & over
Other diseases of heart (430-434)	377	1	2	5	32	106
Hypertensive heart disease (440-443)	1,763	-	-	-	73	437
Other hypertensive disease (444-447)	145	-	-	-	16	42
General arteriosclerosis (450)	487	-	-	-	1	33
Other diseases of circulatory system (451-468)	390	-	1	1	51	121
Chronic and unspecified nephritis and other renal sclerosis (592-594)	180	1	2	5	29	65
Influenza and pneumonia, except pneumonia of newborn (480-493)	834	109	37	21	71	157
Influenza (480-483)	30	-	2	2	2	2
Pneumonia, except pneumonia of newborn (490-493)	804	109	35	19	69	155
Bronchitis (500-502)	98	13	7	6	10	20
Ulcer of stomach and duodenum (540-541)	174	1	1	-	19	57
Appendicitis (550-553)	34	-	1	9	3	4
Hernia and intestinal obstruction (560,561,570)	195	18	-	1	13	49
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn (543,571,572)	116	31	7	4	9	20
Cirrhosis of liver (581)	392	-	-	-	116	208
Cholelithiasis, cholecystitis, and cholangitis (584,585)	59	-	-	-	2	8
Acute nephritis, and nephritis with edema including nephrosis (590,591)	22	-	-	1	5	6
Infections of kidney (600)	144	2	-	2	26	38
Hyperplasia of prostate (610)	47	-	-	-	1	3

TABLE 22. (CONTINUED - 4)

	All ages*	D E A T H S B Y A G E					
		Under one year	1 - 4	5-17	18-44	45-64	65 & over
Causes of death with 7th Revision International List Number							
Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)	21	-	-	-	21	-	-
Abortion (650-652)	5	-	-	-	5	-	-
Other complications of pregnancy, childbirth and the puerperium (640-649, 660-689)	16	-	-	-	16	-	-
Congenital malformations (750-759)	383	288	34	24	22	12	3
Certain diseases of early infancy (760-776)	1,351	1,351	-	-	--	-	-
Birth injuries, postnatal asphyxia, and atelectasis (760-762)	522	522	-	-	-	-	-
Infections of newborn (763-768)	102	102	-	-	-	-	-
Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	727	727	-	-	-	-	-
Symptoms, senility, and ill-defined conditions (780-795)	109	10	3	2	9	27	58
Accidents (E800-E962)	1,503	50	92	189	495	337	338
Motor vehicle accidents (E810-E835)	613	7	28	94	285	114	85
Other accidents (E800-E802, E840-E962)	890	43	64	95	210	223	253
Suicide (E963, E970-979)	324	-	-	8	124	140	52
Homicide (E964, E980-E985)	180	5	5	6	117	37	9
All other diseases	1,244	137	33	33	167	365	509

* Includes five deaths with ages unknown.

TABLE 23A. THE EIGHT LEADING CAUSES OF MALE DEATHS IN SPECIFIED AGE GROUPS.* MARYLAND, 1962

UNDER ONE YEAR				AGES 1 - 4			
Rank		Number	Per Cent	Rank		Number	Per Cent
1.	All causes	1,150	100.0		All causes	161	100.0
2.	Certain diseases of early infancy	779	67.7	1.	Accidents	50	31.1
3.	Congenital malformations	147	12.8	2.	Influenza and pneumonia	26	16.1
4.	Influenza and pneumonia*	56	4.9	3.	Congenital malformations	18	11.2
5.	Accidents	30	2.6	4.	Malignant neoplasms	12	7.5
6.	Gastritis	16	1.4	5.			
7.	Hernia and intestinal obstruction	9	0.8	6.			
8.	*Pneumonia of newborn not included			7.			
				8.			
AGES 5 - 17				AGES 18 - 44			
1.	All causes	281	100.0		All causes	1,536	100.0
2.	Accidents	139	49.5	1.	Accidents	385	25.1
3.	Malignant neoplasms	39	13.9	2.	Diseases of the heart	354	23.0
4.	Congenital malformations	14	5.0	3.	Malignant neoplasms	189	12.3
5.	Influenza and pneumonia	10	3.6	4.	Homicide	94	6.1
6.	Diseases of the heart	7	2.5	5.	Suicide	79	5.1
7.	Suicide	6	2.1	6.	Cirrhosis of the liver	66	4.3
8.	Nephritis, all forms	5	1.8	7.	Influenza and pneumonia	46	3.0
				8.	Cerebral hemorrhage, etc.	37	2.4
AGES 45 - 64				AGES 65 & OVER			
1.	All causes	4,991	100.0		All causes	7,761	100.0
2.	Diseases of the heart	2,292	45.9	1.	Diseases of the heart	4,019	51.8
3.	Malignant neoplasms	1,007	20.2	2.	Malignant neoplasms	1,212	15.6
4.	Cerebral hemorrhage, etc.	279	5.6	3.	Cerebral hemorrhage, etc.	704	9.1
5.	Accidents	256	5.1	4.	Influenza and pneumonia	247	3.2
6.	Cirrhosis of the liver	133	2.7	5.	Arteriosclerosis	199	2.6
7.	Suicide	116	2.3	6.	Accidents	181	2.3
8.	Influenza and pneumonia	112	2.2	7.	Other diseases of circulatory sys.	129	1.7
	Tuberculosis	74	1.5	8.	Diabetes	127	1.6

* Leading causes are shown only if they had five or more deaths in a given age group.

TABLE 23B. THE EIGHT LEADING CAUSES OF FEMALE DEATHS IN SPECIFIED AGE GROUPS. * MARYLAND, 1962

<u>UNDER ONE YEAR</u>				<u>AGES 1 - 4</u>			
<u>Rank</u>		<u>Number</u>	<u>Per Cent</u>	<u>Rank</u>		<u>Number</u>	<u>Per Cent</u>
	All causes	921	100.0		All causes	130	100.0
1.	Certain diseases of early infancy	572	62.1	1.	Accidents	42	32.3
2.	Congenital malformations	141	15.3	2.	Malignant neoplasms	17	13.1
3.	Influenza and pneumonia*	53	5.8	3.	Congenital malformations	16	12.3
4.	Gastritis	15	1.6	4.	Influenza and pneumonia	11	8.5
5.	Hernia and intestinal obstruction	9	1.0	5.			
6.	Symptoms and ill-defined conditions	9	1.0	6.			
7.				7.			
8.	*Pneumonia of newborn not included			8.			
<u>AGES 5 - 17</u>				<u>AGES 18 - 44</u>			
	All causes	140	100.0		All causes	955	100.0
1.	Accidents	50	35.7	1.	Malignant neoplasms	220	23.0
2.	Malignant neoplasms	25	17.9	2.	Diseases of the heart	144	15.1
3.	Influenza and pneumonia	11	7.9	3.	Accidents	110	11.5
4.	Congenital malformations	10	7.1	4.	Cerebral hemorrhage, etc.	59	6.2
5.				5.	Cirrhosis of the liver	50	5.2
6.				6.	Suicide	45	4.7
7.				7.	Other diseases of circulatory sys.	29	3.0
8.				8.	Influenza and pneumonia	25	2.6
<u>AGES 45 - 64</u>				<u>AGES 65 & OVER</u>			
	All causes	2,842	100.0		All causes	7,598	100.0
1.	Diseases of the heart	994	35.0	1.	Diseases of the heart	4,120	54.2
2.	Malignant neoplasms	862	30.3	2.	Malignant neoplasms	1,014	13.3
3.	Cerebral hemorrhage, etc.	239	8.4	3.	Cerebral hemorrhage, etc.	898	11.8
4.	Diabetes	117	4.1	4.	Arteriosclerosis	254	3.3
5.	Accidents	81	2.8	5.	Diabetes	241	3.2
6.	Cirrhosis of the liver	75	2.6	6.	Influenza and pneumonia	194	2.5
7.	Other diseases of circulatory sys.	52	1.8	7.	Accidents	157	2.1
8.	Influenza and pneumonia	45	1.6	8.	Other diseases of circulatory sys.	87	1.1

* Leading causes are shown only if they had five or more deaths in a given age group.

TABLE 24. DEATH RATES, BY AGE AND RACE, THREE MARYLAND AREAS, 1962

Area of Residence	Race	All ages	DEATH RATES (Per 1,000 Population) BY AGE					
			Under one year	1 - 4	5 - 17	18-44	45-64	65 & over
Maryland State	All deaths	8.8	27.5	1.0	0.5	2.1	12.7	64.6
	White	8.5	22.7	0.9	0.5	1.7	11.4	64.2
	Nonwhite	10.1	44.5	1.2	0.7	4.5	20.2	67.8
Baltimore City	All deaths	12.2	33.9	1.0	0.6	3.2	16.1	68.8
	White	13.3	26.1	0.8	0.5	2.2	14.0	68.6
	Nonwhite	10.3	42.1	1.3	0.7	4.9	21.6	69.5
Total Counties	All deaths	7.4	24.9	0.9	0.5	1.7	11.0	62.2
	White	7.2	21.9	0.9	0.4	1.6	10.4	61.9
	Nonwhite	9.8	48.6	1.1	0.7	3.7	17.6	65.6

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466	467	468	469	470	471	472	473	474	475	476	477	478	479	480	481	482	483	484	485	486	487	488	489	490	491	492	493	494	495	496	497	498	499	500	501	502	503	504	505	506	507	508	509	510	511	512	513	514	515	516	517	518	519	520	521	522	523	524	525	526	527	528	529	530	531	532	533	534	535	536	537	538	539	540	541	542	543	544	545	546	547	548	549	550	551	552	553	554	555	556	557	558	559	560	561	562	563	564	565	566	567	568	569	570	571	572	573	574	575	576	577	578	579	580	581	582	583	584	585	586	587	588	589	590	591	592	593	594	595	596	597	598	599	600	601	602	603	604	605	606	607	608	609	610	611	612	613	614	615	616	617	618	619	620	621	622	623	624	625	626	627	628	629	630	631	632	633	634	635	636	637	638	639	640	641	642	643	644	645	646	647	648	649	650	651	652	653	654	655	656	657	658	659	660	661	662	663	664	665	666	667	668	669	670	671	672	673	674	675	676	677	678	679	680	681	682	683	684	685	686	687	688	689	690	691	692	693	694	695	696	697	698	699	700	701	702	703	704	705	706	707	708	709	710	711	712	713	714	715	716	717	718	719	720	721	722	723	724	725	726	727	728	729	730	731	732	733	734	735	736	737	738	739	740	741	742	743	744	745	746	747	748	749	750	751	752	753	754	755	756	757	758	759	760	761	762	763	764	765	766	767	768	769	770	771	772	773	774	775	776	777	778	779	780	781	782	783	784	785	786	787	788	789	790	791	792	793	794	795	796	797	798	799	800	801	802	803	804	805	806	807	808	809	810	811	812	813	814	815	816	817	818	819	820	821	822	823	824	825	826	827	828	829	830	831	832	833	834	835	836	837	838	839	840	841	842	843	844	845	846	847	848	849	850	851	852	853	854	855	856	857	858	859	860	861	862	863	864	865	866	867	868	869	870	871	872	873	874	875	876	877	878	879	880	881	882	883	884	885	886	887	888	889	890	891	892	893	894	895	896	897	898	899	900	901	902	903	904	905	906	907	908	909	910	911	912	913	914	915	916	917	918	919	920	921	922	923	924	925	926	927	928	929	930	931	932	933	934	935	936	937	938	939	940	941	942	943	944	945	946	947	948	949	950	951	952	953	954	955	956	957	958	959	960	961	962	963	964	965	966	967	968	969	970	971	972	973	974	975	976	977	978	979	980	981	982	983	984	985	986	987	988	989	990	991	992	993	994	995	996	997	998	999	1000	1001	1002	1003	1004	1005	1006	1007	1008	1009	1010	1011	1012	1013	1014	1015	1016	1017	1018	1019	1020	1021	1022	1023	1024	1025	1026	1027	1028	1029	1030	1031	1032	1033	1034	1035	1036	1037	1038	1039	1040	1041	1042	1043	1044	1045	1046	1047	1048	1049	1050	1051	1052	1053	1054	1055	1056	1057	1058	1059	1060	1061	1062	1063	1064	1065	1066	1067	1068	1069	1070	1071	1072	1073	1074	1075	1076	1077	1078	1079	1080	1081	1082	1083	1084	1085	1086	1087	1088	1089	1090	1091	1092	1093	1094	1095	1096	1097	1098	1099	1100	1101	1102	1103	1104	1105	1106	1107	1108	1109	1110	1111	1112	1113	1114	1115	1116	1117	1118	1119	1120	1121	1122	1123	1124	1125	1126	1127	1128	1129	1130	1131	1132	1133	1134	1135	1136	1137	1138	1139	1140	1141	1142	1143	1144	1145	1146	1147	1148	1149	1150	1151	1152	1153	1154	1155	1156	1157	1158	1159	1160	1161	1162	1163	1164	1165	1166	1167	1168	1169	1170	1171	1172	1173	1174	1175	1176	1177	1178	1179	1180	1181	1182	1183	1184	1185	1186	1187	1188	1189	1190	1191	1192	1193	1194	1195	1196	1197	1198	1199	1200	1201	1202	1203	1204	1205	1206	1207	1208	1209	1210	1211	1212	1213	1214	1215	1216	1217	1218	1219	1220	1221	1222	1223	1224	1225	1226	1227	1228	1229	1230	1231	1232	1233	1234	1235	1236	1237	1238	1239	1240	1241	1242	1243	1244	1245	1246	1247	1248	1249	1250	1251	1252	1253	1254	1255	1256	1257	1258	1259	1260	1261	1262	1263	1264	1265	1266	1267	1268	1269	1270	1271	1272	1273	1274	1275	1276	1277	1278	1279	1280	1281	1282	1283	1284	1285	1286	1287	1288	1289	1290	1291	1292	1293	1294	1295	1296	1297	1298	1299	1300	1301	1302	1303	1304	1305	1306	1307	1308	1309	1310	1311	1312	1313	1314	1315	1316	1317	1318	1319	1320	1321	1322	1323	1324	1325	1326	1327	1328	1329	1330	1331	1332	1333	1334	1335	1336	1337	1338	1339	1340	1341	1342	1343	1344	1345	1346	1347	1348	1349	1350	1351	1352	1353	1354	1355	1356	1357	1358	1359	1360	1361	1362	1363	1364	1365	1366	1367	1368	1369	1370	1371	1372	1373	1374	1375	1376	1377	1378	1379	1380	1381	1382	1383	1384	1385	1386	1387	1388	1389	1390	1391	1392	1393	1394	1395	1396	1397	1398	1399	1400	1401	1402	1403	1404	1405	1406	1407	1408	1409	1410	1411	1412	1413	1414	1415	1416	1417	1418	1419	1420	1421	1422	1423	1424	1425	1426	1427	1428	1429	1430	1431	1432	1433	1434	1435	1436	1437	1438	1439	1440	1441	1442	1443	1444	1445	1446	1447	1448	1449	1450	1451	1452	1453	1454	1455	1456	1457	1458	1459	1460	1461	1462	1463	1464	1465	1466	1467	1468	1469	1470	1471	1472	1473	1474	1475	1476	1477	1478	1479	1480	1481	1482	1483	1484	1485	1486	1487	1488	1489	1490	1491	1492	1493	1494	1495	14
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	----

TABLE 25. DEATHS, BY MONTH OF DEATH AND RACE, THREE MARYLAND AREAS, 1962

Area of Residence	Race	All months	M O N T H O F D E A T H											
			Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Maryland State	All deaths	28,471	2521	2287	2600	2391	2314	2203	2242	2186	2224	2332	2427	2744
	White	22,893	2022	1821	2094	1921	1901	1762	1798	1762	1777	1850	1989	2196
	Nonwhite	5,578	499	466	506	470	413	441	444	424	447	482	438	548
Baltimore City	All deaths	11,338	989	889	1068	940	913	912	895	850	887	932	966	1097
	White	7,775	679	595	736	639	650	621	597	585	601	632	683	757
	Nonwhite	3,563	310	294	332	301	263	291	298	265	286	300	283	340
Total Counties	All deaths	17,133	1532	1398	1532	1451	1401	1291	1347	1336	1337	1400	1461	1647
	White	15,118	1343	1226	1358	1282	1251	1141	1201	1177	1176	1218	1306	1439
	Nonwhite	2,015	189	172	174	169	150	150	146	159	161	182	155	208

TABLE 26A. DEATHS, FOR TWENTY LEADING CAUSES, BY SEX AND RACE, MARYLAND, 1962

Rank for Total	Causes of death with 7th Revision International List Number	Total	All races		White		Nonwhite	
			Male	Female	Male	Female	Male	Female
	All causes	28,471	15,883	12,588	12,701	10,192	3,182	2,396
1.	Diseases of the heart (400-443)	11,943	6,677	5,266	5,625	4,425	1,052	841
2.	Malignant neoplasms (140-205)	4,604	2,462	2,142	2,044	1,824	418	318
3.	Cerebral hemorrhage and other vascular lesions (330-334)							
4.	All accidents (800-962)	2,224	1,024	1,200	794	986	230	214
	Motor vehicle accidents (810-835)	1,503	1,043	460	790	347	253	113
5.	Certain diseases of early infancy (760-776)	613	437	176	348	134	89	42
		1,351	779	572	509	363	270	209
6.	Influenza and pneumonia (480-493)	834	497	337	344	257	153	80
7.	Diabetes mellitus (260)	593	219	374	177	289	42	85
8.	Arteriosclerosis (450)	487	214	273	193	244	21	29
9.	Cirrhosis of the liver (581)	392	252	140	202	105	50	35
10.	Other diseases of circulatory system (451-468)	390	220	170	181	132	39	38
11.	Congenital malformations (750-759)							
12.	Suicide (963,970-979)	383	203	180	162	147	41	33
13.	Tuberculosis, all forms (001-019)	324	241	83	222	77	19	6
14.	Nephritis, all forms (590-594)	226	171	55	106	32	65	23
15.	Hernia and intestinal obstruction (560,561,570)	202	117	85	85	56	32	29
		195	99	96	79	79	20	17
16.	Homicide (964,980-985)							
17.	Ulcer of stomach and duodenum (540,541)	180	141	39	47	17	94	22
18.	Emphysema without mention of bronchitis (527.1)	174	120	54	103	48	17	6
19.	Hypertension without mention of heart (444-447)	161	135	26	124	25	11	1
20.	Infections of kidney (600)	145	70	75	38	47	32	28
		144	66	78	47	58	19	20

TABLE 26B. DEATHS FOR TWENTY LEADING CAUSES BY SEX AND RACE, BALTIMORE CITY, 1962

Rank for Total	Causes of death with 7th Revision International List Number	Total	All races		White		Nonwhite	
			Male	Female	Male	Female	Male	Female
	All causes	11,338	6,235	5,103	4,217	3,558	2,018	1,545
1.	Diseases of the heart (400-443)	4,896	2,670	2,226	1,991	1,687	679	539
2.	Malignant neoplasms (140-205)	1,782	946	836	670	620	276	216
3.	Cerebral hemorrhage and other vascular lesions (330-334)	816	360	456	229	318	131	138
4.	Certain diseases of early infancy (760-776)	499	284	215	115	80	169	135
5.	All accidents (800-962)	478	315	163	181	95	134	68
	Motor vehicle accidents (810-835)	153	103	50	58	26	45	24
6.	Influenza and pneumonia (480-493)	356	223	133	133	89	90	44
7.	Diabetes mellitus (260)	275	89	186	62	127	27	59
8.	Cirrhosis of the liver (581)	195	125	70	86	43	39	27
9.	Arteriosclerosis (450)	164	73	91	60	76	13	15
10.	Other diseases of circulatory system (451-468)	156	91	65	64	39	27	26
11.	Tuberculosis, all forms (001-019)	133	104	29	55	14	49	15
12.	Congenital malformations (750-759)	118	62	56	37	32	25	24
13.	Homicide (964,980-985)	105	85	20	16	6	69	14
14.	Suicide (963,970-979)	94	69	25	55	22	14	3
15.	Hernia and intestinal obstruction (560,561,570)	88	51	37	38	28	13	9
16.	Nephritis, all forms (590-594)	85	51	34	34	20	17	14
17.	Ulcer of stomach and duodenum (540,541)	77	51	26	36	21	15	5
18.	Emphysema without mention of bronchitis (527.1)	63	55	8	48	8	7	-
19.	Infections of kidney (600)	53	27	26	15	15	12	11
20.	Hypertension without mention of heart (444-447)	51	28	23	10	8	18	15

TABLE 26C. DEATHS, FOR TWENTY LEADING CAUSES, BY SEX AND RACE, TOTAL COUNTIES, 1962

Rank for Total	Causes of death with 7th Revision International List Number	All races		White		Nonwhite	
		Male	Female	Male	Female	Male	Female
	All causes	17,133	9,648	7,485	8,484	1,164	851
1.	Diseases of the heart (400-443)	7,047	3,040	2,738	3,634	373	302
2.	Malignant neoplasms (140-205)	2,822	1,306	1,204	1,374	142	102
3.	Cerebral hemorrhage and other vascular lesions (330-334)	1,408	744	668	565	99	76
4.	All accidents (800-962)	1,025	297	252	609	119	45
5.	Motor vehicle accidents (810-835)	460	126	108	290	44	18
	Certain diseases of early infancy (760-776)	852	357	283	394	101	74
6.	Influenza and pneumonia (480-493)	478	204	168	211	63	36
7.	Arteriosclerosis (450)	323	141	168	133	8	14
8.	Diabetes mellitus (260)	318	188	162	115	15	26
9.	Congenital malformations (750-759)	265	141	115	125	16	9
10.	Other diseases of circulatory system (451-468)	234	105	93	117	12	12
11.	Suicide (963,970-979)	230	58	55	167	5	3
12.	Cirrhosis of the liver (581)	197	70	62	116	11	8
13.	Nephritis, all forms (590-594)	117	51	36	51	15	15
14.	Hernia and intestinal obstruction (560,561,570)	107	48	51	41	7	8
15.	Emphysema without mention of bronchitis (527.1)	98	18	17	76	4	1
16.	Ulcer of stomach and duodenum (540,541)	97	28	27	67	2	1
17.	Hypertension without mention of heart (444-447)	94	52	39	28	14	13
18.	Tuberculosis, all forms (001-019)	93	26	18	51	16	8
19.	Infections of kidney (600)	91	52	43	32	7	9
20.	Homicide (964,980-985)	75	19	11	31	25	8



TABLE 27A. DEATH RATES* FOR TWENTY LEADING CAUSES, BY SEX AND RACE, MARYLAND, 1962

Rank for Total	Causes of death with 7th Revision International List Number	All races		White		Nonwhite	
		Total	Male	Female	Male	Female	Male
	All causes	8.8	9.9	7.7	9.6	7.5	11.7
1.	Diseases of the heart (400-443)	368.6	417.2	321.2	423.3	325.4	387.0
2.	Malignant neoplasms (140-205)	142.1	153.8	130.7	153.8	134.1	153.8
3.	Cerebral hemorrhage and other vascular lesions (330-334)	68.6	64.0	73.2	59.8	72.5	84.6
4.	All accidents (800-962)	46.4	65.2	28.1	59.5	25.5	93.1
5.	Motor vehicle accidents (810-835)	18.9	27.3	10.7	26.2	9.9	32.7
	Certain diseases of early infancy (760-776)	41.7	48.7	34.9	38.3	26.7	99.3
6.	Influenza and pneumonia (480-493)	25.7	31.1	20.6	25.9	18.9	56.3
7.	Diabetes mellitus (260)	18.3	13.7	22.8	13.3	21.3	15.5
8.	Arteriosclerosis (450)	15.0	13.4	16.7	14.5	17.9	7.7
9.	Cirrhosis of the liver (581)	12.1	15.7	8.5	15.2	7.7	18.4
10.	Other diseases of circulatory system (451-468)	12.0	13.7	10.4	13.6	9.7	14.3
11.	Congenital malformations (750-759)	11.8	12.7	11.0	12.2	10.8	15.1
12.	Suicide (963,970-979)	10.0	15.1	5.1	16.7	5.7	7.0
13.	Tuberculosis, all forms (001-019)	7.0	10.7	3.4	8.0	2.4	23.9
14.	Nephritis, all forms (590-594)	6.2	7.3	5.2	6.4	4.1	11.8
15.	Hernia and intestinal obstruction (560,561,570)	6.0	6.2	5.9	5.9	5.8	7.4
16.	Homicide (964,980-985)	5.6	8.8	2.4	3.5	1.3	34.6
17.	Ulcer of stomach and duodenum (540,541)	5.4	7.5	3.3	7.8	3.5	6.3
18.	Emphysema without mention of bronchitis (527.1)	5.0	8.4	1.6	9.3	1.8	4.0
19.	Hypertension without mention of heart (444-447)	4.5	4.4	4.6	2.9	3.5	11.8
20.	Infections of kidney (600)	4.4	4.1	4.8	3.5	4.3	7.0

* Rates for specific causes are per 100,000 population; for all causes, per 1,000 population.

1. The first part of the paper discusses the importance of maintaining accurate records of all transactions. This is essential for the proper management of the company's finances and for ensuring that all parties involved are kept up to date.

2. The second part of the paper discusses the importance of maintaining accurate records of all transactions. This is essential for the proper management of the company's finances and for ensuring that all parties involved are kept up to date.

3. The third part of the paper discusses the importance of maintaining accurate records of all transactions. This is essential for the proper management of the company's finances and for ensuring that all parties involved are kept up to date.

4. The fourth part of the paper discusses the importance of maintaining accurate records of all transactions. This is essential for the proper management of the company's finances and for ensuring that all parties involved are kept up to date.

Date	Particulars	Debit	Credit	Balance
1/1/2020	Opening Balance			1000.00
1/15/2020	Received from Mr. X		500.00	1500.00
2/1/2020	Paid to Mr. Y	200.00		1300.00
2/15/2020	Received from Mr. Z		300.00	1600.00
3/1/2020	Paid to Mr. W	100.00		1500.00
3/15/2020	Received from Mr. V		400.00	1900.00
4/1/2020	Paid to Mr. U	300.00		1600.00
4/15/2020	Received from Mr. T		200.00	1800.00
5/1/2020	Paid to Mr. S	150.00		1650.00
5/15/2020	Received from Mr. R		150.00	1800.00
6/1/2020	Paid to Mr. Q	100.00		1700.00
6/15/2020	Received from Mr. P		100.00	1800.00
7/1/2020	Paid to Mr. O	50.00		1750.00
7/15/2020	Received from Mr. N		50.00	1800.00
8/1/2020	Paid to Mr. M	20.00		1780.00
8/15/2020	Received from Mr. L		20.00	1800.00
9/1/2020	Paid to Mr. K	10.00		1790.00
9/15/2020	Received from Mr. J		10.00	1800.00
10/1/2020	Paid to Mr. I	5.00		1795.00
10/15/2020	Received from Mr. H		5.00	1800.00
11/1/2020	Paid to Mr. G	2.50		1797.50
11/15/2020	Received from Mr. F		2.50	1800.00
12/1/2020	Paid to Mr. E	1.25		1798.75
12/15/2020	Received from Mr. D		1.25	1800.00
1/1/2021	Opening Balance			1800.00

TABLE 27B. DEATH RATES* FOR TWENTY LEADING CAUSES BY SEX AND RACE, BALTIMORE CITY, 1962

Rank for Total	Causes of death with 7th Revision International List Number	All races		White		Nonwhite	
		Male	Female	Male	Female	Male	Female
	All causes	12.2	13.9	10.6	11.7	12.1	8.6
1.	Diseases of the heart (400-443)	525.2	594.2	461.0	555.6	405.5	300.7
2.	Malignant neoplasms (140-205)	191.2	210.5	173.1	204.2	164.8	120.5
3.	Cerebral hemorrhage and other vascular lesions (330-334)	87.5	80.1	94.4	104.7	78.2	77.0
4.	Certain diseases of early infancy (760-776)	53.5	63.2	44.5	26.3	100.9	75.3
5.	All accidents (800-962)	51.3	70.1	33.8	31.3	80.0	37.9
	Motor vehicle accidents (810-335)	16.4	22.9	10.4	8.6	26.9	13.4
6.	Influenza and pneumonia (480-493)	38.2	49.6	27.5	29.3	53.8	24.6
7.	Diabetes mellitus (260)	29.5	19.8	38.5	41.8	16.1	32.9
8.	Cirrhosis of the liver (581)	20.9	27.8	14.5	14.2	23.3	15.1
9.	Arteriosclerosis (450)	17.6	16.2	18.8	25.0	7.8	8.4
10.	Other diseases of circulatory system (451-463)	16.7	20.3	13.5	12.8	16.1	14.5
11.	Tuberculosis, all forms (001-019)	14.3	23.1	6.0	4.6	29.3	8.4
12.	Congenital malformations (750-759)	12.7	13.8	11.6	10.5	14.9	13.4
13.	Homicide (964,980-985)	11.3	18.9	4.1	2.0	41.2	7.8
14.	Suicide (963,970-979)	10.1	15.4	5.2	7.2	8.4	1.7
15.	Hernia and intestinal obstruction (560,561,570)	9.4	11.4	7.7	9.2	7.8	5.0
16.	Nephritis, all forms (590-594)	9.1	11.4	7.0	6.6	10.2	7.8
17.	Ulcer of stomach and duodenum (540,541)	8.3	11.4	5.4	6.9	9.0	2.8
18.	Emphysema without mention of bronchitis (527.1)	6.8	12.2	1.7	2.6	4.2	-
19.	Infections of kidney (600)	5.7	6.0	5.4	4.9	7.2	6.1
20.	Hypertension without mention of heart (444-447)	5.5	6.2	4.8	2.6	10.8	8.4

* Rates for specific causes are per 100,000 population; for all causes, per 1,000 population.

TABLE 27C. DEATH RATES* FOR TWENTY LEADING CAUSES BY SEX AND RACE, TOTAL COUNTIES, 1962

Rank for Total	Causes of death with 7 th Revision International List Number	All races		White		Nonwhite	
		Total	Male Female	Male Female	Male Female	Male Female	
	All causes	7.4	8.4 6.5	8.1 6.3	11.2 8.5		
1.	Diseases of the heart (400-443)	305.4	348.1 262.9	347.1 259.2	357.4 301.1		
2.	Malignant neoplasms (140-205)	122.3	131.7 112.9	131.3 114.0	136.1 101.7		
3.	Cerebral hemorrhage and other vascular lesions (330-334)	61.0	57.7 64.3	54.0 63.2	94.9 75.8		
4.	All accidents (800-962)	44.4	63.2 25.7	58.2 23.9	114.0 44.9		
	Motor vehicle accidents (810-835)	19.9	29.0 10.9	27.7 10.2	42.2 17.9		
5.	Certain diseases of early infancy (760-776)	36.9	43.0 30.9	37.6 26.8	96.8 73.8		
6.	Influenza and pneumonia (480-493)	20.7	23.8 17.6	20.2 15.9	60.4 35.9		
7.	Arteriosclerosis (450)	14.0	12.2 15.7	12.7 15.9	7.7 14.0		
8.	Diabetes mellitus (260)	13.8	11.3 16.3	11.0 15.3	14.4 25.9		
9.	Congenital malformations (750-759)	11.5	12.2 10.7	11.9 10.9	15.3 9.0		
10.	Other diseases of circulatory system (451-468)	10.1	11.2 9.1	11.2 8.8	11.5 12.0		
11.	Suicide (963,970-979)	10.0	14.9 5.0	16.0 5.2	4.8 3.0		
12.	Cirrhosis of the liver (581)	8.5	11.0 6.1	11.1 5.9	10.5 8.0		
13.	Nephritis, all forms (590-594)	5.1	5.7 4.4	4.9 3.4	14.4 15.0		
14.	Hernia and intestinal obstruction (560,561,570)	4.6	4.2 5.1	3.9 4.8	6.7 8.0		
15.	Emphysema without mention of bronchitis (527.1)	4.2	6.9 1.6	7.3 1.6	3.8 1.0		
16.	Ulcer of stomach and duodenum (540,541)	4.2	6.0 2.4	6.4 2.6	1.9 1.0		
17.	Hypertension without mention of heart (444-447)	4.1	3.6 4.5	2.7 3.7	13.4 13.0		
18.	Tuberculosis, all forms (001-019)	4.0	5.8 2.2	4.9 1.7	15.3 8.0		
19.	Infections of kidney (600)	3.9	3.4 4.5	3.1 4.1	6.7 9.0		
20.	Homicide (964,980-985)	3.2	4.9 1.6	3.0 1.0	24.0 8.0		

* Rates for specified causes are per 100,000 population; for all causes, per 1,000 population.

TABLE 28. DEATHS FOR SELECTED CAUSES, BY POLITICAL SUBDIVISION, 1962

Area of Residence	All causes of death	Diseases of the heart	Malignant neoplasms	Cerebral hemorrhage and other vascular lesions	Accidents			Certain diseases of early infancy	Influenza and pneumonia	Diabetes mellitus
					All accds	Motor veh.	All other accds			
Maryland State	28,471	11,943	4,604	2,224	1,503	613	890	1,351	834	593
Baltimore City	11,338	4,896	1,782	816	478	153	325	499	356	275
Total Counties	17,133	7,047	2,822	1,408	1,025	460	565	852	478	318
Allegany	975	484	158	78	50	20	30	20	15	21
Anne Arundel	1,390	570	240	91	77	39	38	66	39	39
Baltimore	3,338	1,415	629	240	152	65	87	154	75	71
Calvert	148	42	30	13	12	3	9	4	6	3
Caroline	225	90	34	26	13	2	11	4	9	2
Carroll	510	224	74	46	33	18	15	16	14	16
Cecil	396	176	54	29	29	9	20	23	10	5
Charles	322	110	54	28	28	16	12	27	8	6
Dorchester	371	160	42	43	22	5	17	22	16	3
Frederick	801	351	125	79	45	22	23	24	18	16
Garrett	228	108	21	21	14	2	12	4	6	3
Harford	537	207	92	37	47	30	17	40	19	11
Howard	269	117	44	18	15	6	9	17	8	2
Kent	209	82	34	27	12	5	7	7	5	7
Montgomery	2,239	847	397	197	119	63	56	128	57	29
Prince Georges	2,332	847	387	149	172	83	89	198	86	30
Queen Annes	166	80	21	9	16	5	11	6	6	2
Saint Marys	259	85	41	15	30	10	20	23	15	4
Somerset	296	109	38	39	23	5	18	5	14	7
Talbot	311	136	52	35	15	9	6	8	10	3
Washington	926	417	138	89	55	22	33	26	20	15
Wicomico	594	265	76	72	29	12	17	18	17	15
Worcester	291	125	41	27	17	9	8	12	5	8

TABLE 28. (CONTINUED)

Area of Residence	Arterio-sclerosis	Con-genital malforma-tions	Cirrhosis of the liver	Tubercu-losis all forms	Syphilis all forms	Alcohol-ism	Nephritis all forms	Mater-nal deaths	Sui-cide	Homi-cide
Maryland State	487	383	392	226	54	50	202	21	324	180
Baltimore City	164	118	195	133	28	27	85	12	94	105
Total Counties	323	265	197	93	26	23	117	9	230	75
Allegany	22	16	6	4	1	1	7	-	8	3
Anne Arundel	23	22	15	9	6	2	10	2	24	5
Baltimore	57	56	34	12	2	3	24	1	46	17
Calvert	3	2	2	1	-	-	1	-	4	4
Caroline	8	2	5	1	-	-	1	1	1	3
Carroll	7	8	2	-	-	-	7	1	16	-
Cecil	3	5	8	4	-	-	3	1	5	2
Charles	9	3	1	7	1	1	-	-	5	3
Dorchester	5	5	2	1	1	1	1	-	2	1
Frederick	22	4	7	9	3	1	3	-	6	2
Garrett	14	3	-	2	1	2	-	-	3	-
Harford	7	10	9	5	1	-	3	-	1	3
Howard	3	5	1	3	-	2	1	-	4	3
Kent	5	1	1	1	-	-	-	-	1	-
Montgomery	43	37	35	6	3	4	14	-	39	4
Prince Georges	27	62	42	11	1	-	10	1	32	10
Queen Annes	6	2	-	2	1	-	2	-	1	1
Saint Marys	4	2	6	-	1	1	5	-	4	2
Somerset	7	4	2	1	1	-	6	1	1	2
Talbot	7	3	3	3	-	2	2	1	4	-
Washington	29	7	8	5	1	1	7	-	11	2
Wicomico	7	4	5	3	-	2	6	-	9	6
Worcester	5	2	3	3	2	-	4	-	3	2

TABLE 29. DEATHS BY HOSPITALIZATION AND RACE, AND POLITICAL SUBDIVISION, 1962

Area of Residence	NUMBER OF HOSPITAL DEATHS			PER CENT OF TOTAL DEATHS OCCURRING IN HOSPITALS			LOCATION OF HOSPITAL				
	Total	White	Nonwhite	Total	White	Nonwhite	Same County as Residence	Other County	Other States	Balto. City	
Maryland State	19,639	15,477	4,162	69.0	67.6	74.6	4,973	2,672	1,799	10,195	
Baltimore City	8,742	5,786	2,956	77.1	74.4	83.0	...	1,016	91	7,635	
Total Counties	10,897	9,691	1,206	63.6	64.1	59.9	4,973	1,656	1,708	2,560	
Allegany	643	636	7	65.9	66.0	63.6	518	64	51	10	
Anne Arundel	927	753	174	66.7	65.6	71.6	389	117	44	377	
Baltimore	2,175	2,073	102	65.2	65.4	60.4	271	125	48	1,731	
Calvert	96	58	38	64.9	69.9	58.5	69	10	7	10	
Caroline	112	90	22	49.8	51.4	44.0	5	87	16	4	
Carroll	250	237	13	49.0	49.0	50.0	105	38	39	68	
Cecil	240	224	16	60.6	60.5	61.5	143	51	33	13	
Charles	181	128	53	56.2	61.0	47.3	67	42	53	19	
Dorchester	240	186	54	64.7	67.4	56.8	177	43	6	14	
Frederick	475	441	34	59.3	60.2	50.0	312	91	49	23	
Garrett	119	119	-	52.2	52.2	-	83	18	15	3	
Harford	313	279	34	58.3	58.0	60.7	178	52	16	67	
Howard	159	144	15	59.1	60.3	50.0	10	53	10	86	
Kent	121	86	35	57.9	60.1	53.0	58	46	6	11	
Montgomery	1,481	1,391	90	66.1	65.9	69.8	803	109	547	22	
Prince Georges	1,634	1,463	171	70.1	70.8	64.5	690	246	658	40	
Queen Annes	87	62	25	52.4	53.4	50.0	1	73	4	9	
Saint Marys	154	109	45	59.5	58.9	60.8	103	21	17	13	
Somerset	185	123	62	62.5	64.1	59.6	55	116	8	6	
Talbot	194	137	57	62.4	62.6	62.0	117	56	8	13	
Washington	591	567	24	63.8	63.8	64.9	508	33	47	3	
Wicomico	368	286	82	62.0	62.6	59.9	309	32	18	9	
Worcester	152	99	53	52.2	54.7	48.2	2	133	8	9	

TABLE 30. DEATHS, BY PLACE OF RESIDENCE AND OCCURRENCE, BY RACE AND POLITICAL SUBDIVISION, 1962

Area	Deaths by area of residence			Deaths in Maryland by area of death		
	Total	White	Nonwhite	Total	White	Nonwhite
Maryland State	28,471	22,893	5,578	28,308	22,642	5,666
Baltimore City	11,338	7,775	3,563	12,946	9,440	3,506
Total Counties	17,133	15,118	2,015	15,362	13,202	2,160
Allegany	975	964	11	928	921	7
Anne Arundel	1,390	1,147	243	1,093	731	362
Baltimore	3,338	3,169	169	2,352	2,106	246
Calvert	148	83	65	161	102	59
Caroline	225	175	50	128	96	32
Carroll	510	484	26	730	711	19
Cecil	396	370	26	463	407	56
Charles	322	210	112	226	145	81
Dorchester	371	276	95	413	332	81
Frederick	801	733	68	706	649	57
Garrett	228	228	-	247	247	-
Harford	537	481	56	470	422	48
Howard	269	239	30	171	156	15
Kent	209	143	66	174	114	60
Montgomery	2,239	2,110	129	2,483	2,333	150
Prince Georges	2,332	2,067	265	1,650	1,353	297
Queen Annes	166	116	50	90	61	29
Saint Marys	259	185	74	226	162	64
Somerset	296	192	104	170	116	54
Talbot	311	219	92	354	265	89
Washington	926	889	37	1,056	1,011	45
Wicomico	594	457	137	919	668	251
Worcester	291	181	110	152	94	58

TABLE 31. DEATHS TO RESIDENTS OF MARYLAND AND DEATHS OCCURRING IN MARYLAND BY AREA OF RESIDENCE AND AREA OF OCCURRENCE, 1962.

Area of Residence	AREA OF OCCURRENCE OF DEATH					
	STATE OF MARYLAND			BALTO. CITY		Out of State
	All areas of occurrence	State total	Same Md. County as residence	Md. County other than residence		
Maryland State	28,471	26,371	10,723	2,975	12,673	2,100
Baltimore City	11,338	11,179	XXX	1,124	10,055	159
Total Counties	17,133	15,192	10,723	1,851	2,618	1,941
Allegany	975	917	837	70	10	58
Anne Arundel	1,390	1,333	817	132	384	57
Baltimore	3,338	3,258	1,346	147	1,765	80
Calvert	148	140	117	12	11	8
Caroline	225	206	111	91	4	19
Carroll	510	467	349	48	70	43
Cecil	396	357	281	60	16	39
Charles	322	266	199	48	19	56
Dorchester	371	361	300	46	15	10
Frederick	801	747	621	102	24	54
Garrett	228	207	186	18	3	21
Harford	537	516	395	54	67	21
Howard	269	259	108	63	88	10
Kent	209	202	141	49	12	7
Montgomery	2,239	1,633	1,488	121	24	606
Prince Georges	2,332	1,613	1,274	297	42	719
Queen Annes	166	161	74	78	9	5
Saint Marys	259	241	203	25	13	18
Somerset	296	286	162	118	6	10
Talbot	311	303	229	60	14	8
Washington	926	871	832	36	3	55
Wicomico	594	568	521	38	9	26
Worcester	291	280	132	138	10	11
Out of State	XXX	1,937	XXX	1,664	273	XXX
All areas of residence	XXX	28,308	10,723	4,639	12,946	XXX

TABLE 32

LIFE TABLE, MARYLAND, 1950 AND 1960


COMPLETE EXPECTATION OF LIFE (ex) FOR SELECTED AGES BY RACE AND SEX

	AVERAGE NUMBER OF YEARS OF LIFE REMAINING AT THE BEGINNING OF SPECIFIED AGE											
	At Birth		At Age 1		At Age 15		At Age 25		At Age 45		At Age 65	
	1950	1960	1950	1960	1950	1960	1950	1960	1950	1960	1950	1960
Maryland Population												
All persons	67.0	68.9	68.2	69.9	54.9	56.4	45.5	46.9	27.5	28.6	13.6	14.1
White	68.8	70.3	69.7	70.9	56.3	57.4	46.7	47.8	28.3	29.2	13.7	14.2
Male	66.0	67.0	67.1	67.7	53.7	54.3	44.3	44.8	26.1	26.4	12.5	12.4
Female	71.8	73.9	72.5	74.3	59.0	60.8	49.4	51.0	30.7	32.1	14.8	15.8
Nonwhite	58.9	62.7	61.2	64.9	48.2	51.7	39.4	42.3	23.4	25.5	13.0	13.6
Male	56.9	60.0	59.5	62.5	46.6	49.3	38.0	40.2	22.2	23.6	12.0	12.2
Female	61.3	65.8	63.2	67.7	50.1	54.4	41.2	44.8	25.0	27.7	14.3	15.2
											11.1	11.5
											8.7	9.0
											8.6	8.9
											8.0	7.8
											9.1	9.7
											9.8	10.3
											8.7	9.1
											11.1	11.5



DO NOT CIRCULATE

DO NOT CIRCULATE



DO NOT CIRCULATE

